

# Index

Reactor Materials

## Volume 10

Note: The page range for each of the four issues of Vol. 10 is as follows:

No. 1, pages 1 to 67	No. 3, pages 135 to 202
No. 2, pages 69 to 133	No. 4, pages 203 to 266

36 NKbTYu  
strength, Mo effects on, 46

### A

Acoustic-emission testing, 264

Actinides

electrodeposition, 127

AGC-200 braze alloy  
properties, 131

AGC-201 braze alloy  
properties, 131

AL80

fatigue properties, 114

recrystallization, 53

Alkali-metal hydrides  
heats of formation, 221

Alkali metals

corrosive effects, 32, 96

Alloy 16-25-6

compatibility with PuC-UC mixtures, 73

Alloy 713C

mechanical properties, 47

Alloy 713LC

mechanical properties, 47

Alloy 718

mechanical properties, welding effects  
on, 128

Alloy 1361 DS

tensile properties, 247-48

Alloy 1541

impact strength, 247-48

Alloy 2541

impact strength, 247-48

Alloys

diffusion in body-centered cubic, 179

fracture mechanics, 114

mechanical properties, effects of material  
removal on, 53

nitridation in carbide-containing, La  
effects in, 237

zone melting, 194

Alloys (braze)

(see Braze alloys)

properties of AGC-200 and AGC-201, 131  
for refractory metals, 199

Alloys (dispersion strengthened)

compaction, 62

Alloys (hydride)

thermal conductivity, H/Zr-ratio effect  
on, 221

Alloys (powdered)

sintering, 197

Alloys (refractory)

coatings for, 27-28

Alloys (refractory metal)

corrosion, 31-32, 101

diffusion studies, 54

explosive bonding, 64

extrusion, lubricants for, 123

thermal expansion, linear, 110

Alloys (super-)

deformation, 111

Aluminum

bonding, 197, 262

compatibility with metals, 180

compatibility with UN, 12

corrosion, 95

electrical conductivity, Zr effects on, 53

explosive spot welding, 64

mechanical properties, Zr effects on, 53

recrystallization temperature, Zr-  
addition and annealing effects on, 112

Aluminum (irradiated)

corrosion, 226

Aluminum (molten)

reaction with water, 166

Aluminum (SiO<sub>2</sub>-fiber reinforced)(irradiated)

fracture strength, 41

Aluminum-alloy coatings

for Mo and Nb, 162

Aluminum-alloy joints (Al alloy(SAP)-steel)

hot pressing, 260

Aluminum-alloy plates

mechanical properties of welded, 262

Aluminum-alloy plates (Al-U)

preparation of, containing Al-B<sub>4</sub>C-  
dispersion foils, 91

Aluminum-alloy plates (Al-U)(irradiated)

performance of, containing Al-B<sub>4</sub>C-  
dispersion foils, 91

Aluminum-alloy sheet

mechanical-properties of welded, 262

Aluminum-alloy tubes (6061-T6)

corrosion, 94-95

Aluminum alloys

brazing, 262-63

corrosion, 93-95, 225-26

fracture toughness, 45

stress-corrosion cracking, 26

Aluminum alloys (1S)

hot-press bonding to Zircaloy-2, 197

Aluminum alloys (356)(irradiated)

mechanical properties, 232

Aluminum alloys (2024)(irradiated)

mechanical properties, 232

Aluminum alloys (2219)

corrosion, 94

Aluminum alloys (2219)(irradiated)

corrosion, 94

Aluminum alloys (6061)

brazing, 262-63

coating with Ni, 127

corrosion, 94

Aluminum alloys (6061)(irradiated)

mechanical properties, 232-33

Aluminum alloys (6061-0)

drawing, vibration effects on, 124

Aluminum alloys (Al-Be)

corrosion, 160

Aluminum alloys (Al-Cr-Fe-Y)

corrosion, 226, 248

metallurgy, 46-47

oxidation, 26-27, 46-47

production of corrosion-resistant, 260

tensile properties, 247-48

Aluminum alloys (Al-Cr-Fe-Y)(irradiated)

embrittlement, 170

mechanical properties, 37

Aluminum alloys (Al-Cr-Ni-Ti)

crystal structure, W effects on, 177

Aluminum alloys (Al-Cu)(irradiated)

dislocation movement, 106

Aluminum alloys (Al-Fe)

Fe diffusion in, 54

sintering, 230

tensile properties, 248

Aluminum alloys (Al-Fe-U)

phase studies, 69

Aluminum alloys (Al-Li)(irradiated)

He bubbles in, 236

rare-gas diffusion in, 16

Aluminum alloys (Al-Mo-Sn-Zr)

corrosion, 229

Aluminum alloys (Al-Np)

preparation, 121

Aluminum alloys (Al-Nb)

phase studies, 51

Aluminum alloys (Al-Nb-Ti)

mechanical properties, 113

Aluminum alloys (Al-Sn-Ti)

reaction with H, 221

Aluminum alloys (Al-Ti-V)

drawing, vibration effects on, 124

reaction with H, 220-21

strength, 43

Aluminum alloys (Al-U)

ignition, 15

oxidation, 69

production, 121, 137-38, 194

Aluminum alloys (Al-V)

corrosion, 99

sintering, 230

Aluminum alloys (Al-Zr)

corrosion, 229

Aluminum alloys (irradiated)

properties, 232-33

Aluminum alloys (SAP)

corrosion, 230

- fabrication, 259-60
- hardness, cold-work effects on, 244
- powder metallurgy, 125
- production, 61
- reaction with UC, 209
- strain hardening, 179
- structure, 61-62
- Aluminum alloys (X8001)
  - corrosion, 94
- Aluminum composites
  - tensile strength of electrodeposited, 127
- Aluminum composites (Al-Sn-W)
  - corrosion, 161
- Aluminum couples
  - corrosion, 94
- Aluminum-dispersion control rods (Al-Eu<sub>2</sub>O<sub>3</sub>) (irradiated)
  - performance, 92
- Aluminum-dispersion control rods (Al-Eu<sub>2</sub>Si<sub>2</sub>MoO<sub>4</sub>) (irradiated)
  - performance, 92
- Aluminum dispersions (Al-Al<sub>2</sub>O<sub>3</sub>)
  - evaluation, 125
- Aluminum dispersions (Al-B<sub>4</sub>C)
  - preparation, 91
- Aluminum dispersions (Al-U aluminide) (irradiated)
  - swelling, porosity effects on, 74
- Aluminum dispersions (Al-UCO<sub>2</sub>) (irradiated)
  - swelling, 74, 214
- Aluminum dispersions (Al-UCO<sub>2</sub>-ZrO<sub>2</sub>) (Al clad) (irradiated)
  - stability, 9
- Aluminum dispersions (Al-U<sub>3</sub>O<sub>8</sub>)
  - development, 141
- Aluminum dispersions (Al-U<sub>3</sub>O<sub>8</sub>) (Al clad) (irradiated)
  - stability, 9
- Aluminum dispersions (Al-U<sub>3</sub>O<sub>8</sub>) (irradiated)
  - swelling, porosity effects on, 74
- Aluminum dispersions (Al-UAl<sub>3</sub>)
  - swelling, 141
- Aluminum intermetallic compounds (UAl<sub>3</sub>) (irradiated)
  - swelling, 214
- Aluminum oxide
  - corrosion, 103
  - dispersion strengthening, 115
  - He diffusion in, 54
  - powder metallurgy, 61
  - self-diffusion in, 54
- Aluminum oxide compacts (Al<sub>2</sub>O<sub>3</sub>-Gd<sub>2</sub>O<sub>3</sub>)
  - fabrication and thermal expansion, 223
- Aluminum oxide dispersions (Al-Al<sub>2</sub>O<sub>3</sub>)
  - evaluation, 125
- Aluminum oxide single crystals
  - He diffusion in, 54
- Aluminum oxide systems (Al-Al<sub>2</sub>O<sub>3</sub>)
  - strain hardening, 179
- Aluminum systems (Al-Al<sub>2</sub>O<sub>3</sub>)
  - strain hardening, 179
- Aluminum systems (Al-C-Cr-Co-Ni-Ti)
  - sigma-phase formation, 248
- Aluminum systems (Al-Ge-Si-Ag)
  - use for brazing, 262
- Aluminum systems (Al-Ge-Si-Zn)
  - use for brazing, 262
- ANM-16
  - corrosion, 103
- AR 213
  - hardening mechanisms, 45-46
- AS-55
  - corrosion, 101
- B-66
  - coating with Cr-Si-Ti, 162
- corrosion, 101
- creep properties, 42
- strength, 43
- welding, 129-30
- Beryllium
  - analysis for C, 86
  - bonding, 262
  - brazing, 218-19
  - brittle behavior of extruded, 220
  - characterization, 156
  - combustion gases, 84
  - compatibility with metals, 180
  - corrosion, 84, 94-95
  - deformation, 111
  - diffusion bonding, 260
  - electroforming, 154
  - fabrication, 84-86, 219
  - handling, safety practices for, 21
  - hot rolling, 123
  - impact behavior, 22
  - interdiffusion with U, 1
  - joining, 21, 86
  - machining, 21, 85, 219
  - mechanical properties, 20-22, 53, 84, 155-56
  - metal removal, 85
  - metallurgy, conference on, 86
  - physical metallurgy, 21-22
  - powder metallurgy, 21
  - production, 154-55, 219
  - surface treatment, 85
  - tensile properties, 219
  - twin-precipitate interaction, 84
  - welding, 86, 262
- Beryllium (chromate coated)
  - oxidation, 220
- Beryllium (irradiated)
  - compression properties, 156
  - gas release, 156
  - hardness, 86
  - impact properties, 86
  - mechanical properties, 106
  - properties, 22
- Beryllium-alloy sheet (Be-Cu)
  - development of solid-solution-strengthened, 219
- Beryllium alloys
  - (see also IN-102)
  - corrosion, 95
  - forming, 85
  - production, 156
- Beryllium alloys (Al-Be)
  - corrosion, 160
- Beryllium alloys (Be-Cu)
  - metallurgy, mechanical, 155
  - production by splat cooling, 219
  - tensile properties, 219
- Beryllium alloys (Be-Fe)
  - tensile properties, 248
- Beryllium alloys (Be-Ni)
  - metallurgy, mechanical, 155
- Beryllium alloys (Be-Th)
  - hot hardness, 8
- Beryllium alloys (Be-Ti)
  - phase studies, 21
- Beryllium alloys (Be-U)
  - ignition, 15
- Beryllium alloys (QMV)
  - corrosion, 94
- Beryllium bicrystals
  - metallurgy, mechanical, 155
- Beryllium compacts
  - coatings on, plating of, 63
- Beryllium composites (Be-graphite)
  - hot pressing, 20
- Beryllium couples (Al-Be)
  - corrosion, 94
- Beryllium couples (Be-stainless steel (304))
  - stress-corrosion cracking, 94
- Beryllium fluoride systems (BeF<sub>2</sub>-LiF-ThF<sub>4</sub>-UF<sub>4</sub>-ZrF<sub>4</sub>) (molten)
  - corrosive effects, 103
- Beryllium forgings
  - anisotropy, 219-20
- Beryllium ingots
  - casting and hot working, 85
- Beryllium oxide
  - orientation, 114
  - self-diffusion in, 54
  - thermal diffusivity, 88
- Beryllium oxide (irradiated)
  - compatibility with irradiated graphite, 153-54
  - performance, 87-88
  - thermal diffusivity, 88
- Beryllium oxide dispersions (BeO-UCO<sub>2</sub>) (irradiated)
  - fission-product retention, 156
- Beryllium oxide powder
  - pore structure, 220
  - properties, impurity effects on, 22
- Beryllium oxide systems (BeO-PuO<sub>2</sub>-UCO<sub>2</sub>)
  - phase studies, 140
- Beryllium powder
  - metallurgy, 21
- Beryllium sheet
  - fabrication, 85
  - properties, thermal-treatment effects on, 85-86
- Beryllium single crystals
  - metallurgy, mechanical, 155
  - preparation, 21
- Beryllium wire
  - mechanical properties, 85
  - production, 84-85
- Bismuth (molten)
  - corrosive effects, 103
- Bismuth alloys (Bi-Pb) (molten)
  - corrosive and erosive effects, 30-31
- Bismuth alloys (Bi-Ni-Sn)
  - wear, 225
- Bismuth alloys (Bi-Na) (molten)
  - corrosive effects, 103
- Bismuth alloys (Bi-U)
  - ignition, 15
- Boiling detectors (incipient)
  - ultrasonic testing, 200
- Bonding (pressure), 62, 126, 197-98, 260
- Bonds
  - heat-transfer and ultrasonic-transmission properties, correlation of, 64
  - nondestructive testing of diffusion, 264
  - ultrasonic testing, 200
- Borides
  - thermal conductivity and thermal expansion of di-, 222
- Borides (refractory)
  - fabrication, 185-86
  - preparation, 185-86
  - reactions in liquid media, 116-17
  - reactions with metals, 116
  - wettability by molten metals, 116
- Boron carbide
  - protective coating for, 249
- Boron carbide dispersions (Al-B<sub>4</sub>C)
  - preparation, 91
- Boron carbide systems (B<sub>4</sub>C-Cu)
  - fabrication and properties, 24-25
- Boron carbide systems (B<sub>4</sub>C-SiC-TiC)
  - properties, high-temperature, 187
- Boron composites (B-graphite)
  - hot pressing, 20
- Boron composites (B-Ti)
  - fabrication by hot isostatic pressing, 198
- Boron mixtures (B-graphite) (irradiated)
  - dimensional changes, 222
- Braze alloys
  - corrosion, 102-3, 229

- development, 262-64  
properties of AGC-200 and AGC-201, 131  
for refractory metals, 199  
use, 262-64
- Brazed joints  
nondestructive testing, 264
- Brazing, 199, 262-64
- Bronze powder  
sintering, 197
- C**
- C-129Y  
tensile properties, aging effects on, 240  
welding, 129-30
- C-129Y (coated)  
evaluation, 28
- Cadmium alloys (Cd-In-Ag)(Ni plated)  
(irradiated)  
oxidation and tensile properties, 24
- Cadmium alloys (Cd-In-Ag)(stainless-  
steel clad)  
fabrication, 24
- Calcium oxide-system rods (CaO-UO<sub>2</sub>-ZrO<sub>2</sub>)  
fabrication, 12
- Calcium oxide systems (CaO-UO<sub>2</sub>-ZrO<sub>2</sub>)  
thermal conductivity, 143
- Carbide castings (metal)  
properties, 250
- Carbide powders  
production, 61
- Carbides  
thermodynamic properties, 249
- Carbides (cemented)  
properties, 186-87
- Carbides (metal)  
free energy of formation, 102  
hot pressing, 61  
spin casting, 250
- Carbides (refractory)  
fabrication, 185-86  
preparation, 185-86  
reactions in liquid media, 116-17  
reactions with metals, 116  
wettability by molten metals, 116
- Carbides (transition metal)  
elastic properties, 115  
reactions with oxides, 251-52
- Carbon  
(see also Graphite)  
diffusion in Mo<sub>2</sub>C, 179  
diffusion in Nb carbide, 179  
diffusion in Nb-Zr alloy, 54  
diffusion in NbC, 54  
diffusion in Ta carbide, 179  
diffusion in ZrC, 179  
solubility in molten Pu, 4, 205
- Carbon (irradiated)  
contraction of glassy, 217
- Carbon (pyrolytic)(irradiated)  
dimensional changes, 218
- Carbon coatings (pyrolytic)  
(see Coatings (PyC))
- Carbon composites (C-NbC)  
deformation, 116
- Carbon materials  
fission-product diffusion in, 54
- Carbon systems (Al-C-Cr-Co-Ni-Ti)  
sigma-phase formation, 248
- Carbon systems (C-Cr-Hf-Mo-Y-Zr)  
tensile properties, 237
- Carbon systems (C-HfC)  
melting, casting, and properties, 257
- Carbon systems (C-Mo)  
recrystallization temperature and rupture  
strength, 241
- Carbon systems (C-Mo-U)  
phase relations, PuC-addition effects  
on, 77
- Carbon systems (C-NbC)  
melting, casting, and properties, 257
- Carbon systems (C-Pu-U)  
phase studies, 207-8
- Carbon systems (C-Si-U)  
phase studies, 144
- Carbon systems (C-TaC)  
melting, casting, and properties, 257
- Carbon systems (C-Th)  
properties, 209-10
- Carbon systems (C-Ti-U)  
phase relations, PuC-addition effects  
on, 77
- Carbon systems (C-U)  
ignition, 15
- Carbon systems (C-U-Zr)  
phase relations, PuC-addition effects  
on, 77
- Carbon systems (C-Zr)  
production and properties, 115-16
- Carbon systems (C-ZrC)  
melting, casting, and properties, 257
- Cast materials  
fabrication, 194-96, 257-59  
melting, 194  
working, 122-24
- Casting, 59-60, 121-22, 257
- Cb-132  
thermal-mechanical processing, 50
- Cb-132M  
corrosion, 164  
mechanical and physical properties, 240
- Cb-752  
mechanical and physical properties, 240  
welding, 130
- Cb-753  
corrosion, 101  
creep properties, 42  
mechanical properties, 50  
physical properties, 50
- Ceramic dispersions (ceramic-metal)  
development, 141
- Ceramic powders  
sintering and vibratory compaction, 259
- Ceramics  
fission-product diffusion in, 54  
forming methods, 63  
joining, 264  
technology, 54, 114-15, 189, 252
- Ceramics (irradiated)  
properties, 16-17, 213-15
- Cerium  
oxidation, 27
- Cerium alloys (Ce-Co-Pu)(molten)  
corrosive effects, 31  
fission-gas venting, 4-5
- Cerium alloys (Ce-Fe-Pu)  
phase studies, 139
- Cerium alloys (Ce-Ni-Pu)  
phase studies, 139
- Cerium alloys (Ce-Pu)  
density, 205
- Cerium alloys (Ce-U)  
ignition, 15
- Cerium dioxide  
thermal diffusion in UO<sub>2</sub>, 209
- Cerium dioxide systems (CeO<sub>2</sub>-UO<sub>2</sub>)  
diffusion in, 180
- Cerium oxide  
self-diffusion in, 54
- Cerium-system microspheres (Ce-O-Pu)  
(W-coated)  
preparation, 7
- Cermets  
strength, 10
- Cermets (oxide)  
preparation of infiltrated, 125-26
- Cesium  
corrosive effects, 32, 103, 230
- Cesium hydride  
heat of formation, 221
- Chemical plating  
(see Plating)
- Chromium  
compatibility with UN, 12  
corrosion, 96, 98, 100  
diffusion in Ni alloys, 179-80  
ductility, 45  
electroplating on Mo, 261  
fabrication, 123  
mechanical behavior, 123  
metallurgy, 236-38  
properties, 183  
self-diffusion in, 179  
sintering, 230
- Chromium-alloy sheet (Cr-Ti-V)  
tensile properties, 243-44
- Chromium-alloy tubing (Cr-Ti-V)  
burst testing, 181-82  
fabrication, 196, 257  
tensile properties, 244
- Chromium alloys  
ductility, 123  
mechanical properties, 45  
properties, 183  
wetting in molten Na, 101
- Chromium alloys (Al-Cr-Fe-Y)  
corrosion, 228, 248  
metallurgy, 46-47  
oxidation, 26-27, 46-47  
production of corrosion-resistant, 260  
tensile properties, 247-48
- Chromium alloys (Al-Cr-Fe-Y)(irradiated)  
embrittlement, 170  
mechanical properties, 37
- Chromium alloys (Al-Cr-Ni-Ti)  
crystal structure, W effects on, 177
- Chromium alloys (Cr-Co-Re)  
workability, 237
- Chromium alloys (Cr-Hf)  
phase studies, 24
- Chromium alloys (Cr-Fe)(irradiated)  
embrittlement, 170
- Chromium alloys (Cr-Fe-Ni)  
B effects on, 246-47  
sigma-phase precipitation, (Fe,Cr), 109  
strength, Mo effects on, 176  
Ti effects on, 246-47  
zone melting, 194
- Chromium alloys (Cr-Fe-Ni-Nb)  
hardening by precipitation, 177
- Chromium alloys (Cr-Fe-Nb-Sn-Zr)  
corrosion, 225
- Chromium alloys (Cr-Fe-Zr)  
preparation, 122
- Chromium alloys (Cr-La)  
nitridation in carbide-containing, 237
- Chromium alloys (Cr-La-Mo)  
nitridation in carbide-containing, 237
- Chromium alloys (Cr-Mo)  
solid solubility in, 241  
structure, 236-37
- Chromium alloys (Cr-Mo-Nb)  
phase studies, 111
- Chromium alloys (Cr-Ni)  
Cr diffusion in, 179  
corrosion, 96, 98  
specific heat, temperature effects on,  
248-49  
strength, effects of Mo and Nb on, 47
- Chromium alloys (Cr-Ni alloy (TD))  
brazing, 263
- Chromium alloys (Cr-Ni-Pd)  
corrosion, 103
- Chromium alloys (Cr-Nb)  
oxidation, 161
- Chromium alloys (Cr-Re)  
oxidation, 95-96

- Chromium alloys (Cr-Ta)  
creep properties, N effects on, 183
- Chromium alloys (Cr-Ti-V)  
compatibility with PuC-UC mixtures, 73  
corrosion, 163, 228  
tensile properties, 114
- Chromium alloys (Cr-Ti-V)(irradiated)  
tensile properties, 234
- Chromium alloys (Cr-W)  
decomposition, 111
- Chromium alloys (Cr-W-Y)  
tensile properties, 237
- Chromium alloys (Cr-U)  
ignition, 15  
pearlitic reaction, 4
- Chromium alloys (Cr-V)  
corrosion, 99, 163, 228
- Chromium alloys (Cr-Y)  
carbide-dispersion effects, 237
- Chromium alloys (Cr-Zr)  
use for brazing, 263
- Chromium boride  
production, 188
- Chromium carbide  
Young's modulus, 115
- Chromium dicarbide  
reaction with  $\text{Cr}_2\text{O}_3$ , 251-52
- Chromium plate  
dispersoids in, 63
- Chromium sesquioxide  
reaction with  $\text{Cr}_3\text{C}_2$ , 251-52
- Chromium sesquioxide systems ( $\text{Cr}_2\text{O}_3$ - $\text{Gd}_2\text{O}_3$ )  
phase studies, 252
- Chromium sesquioxide systems ( $\text{Cr}_2\text{O}_3$ -Sm<sub>2</sub>O<sub>3</sub>)  
phase studies, 252
- Chromium sesquioxide systems ( $\text{Cr}_2\text{O}_3$ -Y<sub>2</sub>O<sub>3</sub>)  
phase studies, 252
- Chromium systems (Al-C-Cr-Co-Ni-Ti)  
sigma-phase formation, 248
- Chromium systems (C-Cr-Hf-Mo-Y-Zr)  
tensile properties, 237
- Chromium systems (C-Cr-Hf-Y-Zr)  
tensile properties, 237
- Chromium systems (C-Cr-Re)  
phase studies, 52
- Chromium systems (Cr-Fe-Si-Ti-V)  
fused-slurry coatings developed from, 161
- Chromium systems (Cr-TaB<sub>2</sub>-ZrB<sub>2</sub>)  
fabrication and properties, 252
- Cladding  
eddy-current testing, 132
- Cladding (Zircaloy-2)  
hydride embrittlement, 175
- Cladding (Zr alloy)  
evaluation, 175
- Cladding materials, 26-58, 93-120, 158-93, 225-56
- Coast Metals 50  
corrosion, 102-3
- Coast Metals 52  
corrosion, 102-3
- Coast NP  
corrosion, 229
- Coatings  
corrosion, 95  
deposition of, 62-64  
for B<sub>4</sub>C, 249  
for Nb-Zr alloys, 162  
for refractories, 27-28  
for T-222, 162  
for Ta-W alloys, 162
- Coatings (Al alloy)  
for Mo and Nb, 162
- Coatings (Cr-Si-Ti)  
for B-66, 162
- Coatings (Hf-Ta)  
for Ta-W alloys, 228
- Coatings (HfO<sub>2</sub>)  
for Ta-W alloys and W, 227-28
- Coatings (Ni)  
deposition, 10, 127
- Coatings (PyC)  
deposition, 10, 74-75, 142  
stress-strain properties, relation to density, 10
- Coatings (silicide), 28, 161-62
- Coatings (ThO<sub>2</sub>)  
for Ta-W alloys and W, 227-28
- Coatings (Vitro Cr-Mo-Si)  
for Nb-Zr alloys, 162
- Cobalt alloys  
(see also AR 213 and L-605)  
corrosion, 228, 230  
fabrication, 122
- Cobalt alloys (Ce-Co-Pu)(molten)  
corrosive effects, 31  
fission-gas venting, 4-5
- Cobalt alloys (Cr-Co-Re)  
workability, 237
- Cobalt alloys (Co-Fe-U)  
phase studies, 71
- Cobalt alloys (Co-Mo)  
properties, addition effects on, 47
- Cobalt alloys (Co-Nb)  
oxidation, 227  
phase studies, 51
- Cobalt alloys (Co-Y)  
phase studies, 47
- Cobalt composites (Co-Thornel)  
fabrication by hot isostatic pressing, 198
- Cobalt-powder mixtures (Co-W carbide)  
compacting and sintering, 61
- Cobalt superalloys  
mechanical and physical properties, 249
- Cobalt systems (Al-C-Cr-Co-Ni-Ti)  
sigma-phase formation, 248
- Cobalt systems (Co-Mo-Si)  
phase studies, 242
- Cobalt systems (Co-TaC-WC)  
properties and structure, 186
- Cobalt systems (Co-TiC-WC)  
properties, C effects on, 249  
strength, 187
- Cobalt systems (Co-WC)  
macro stresses in, 249  
properties of sintered, 115  
strength, 187
- Cold working, 60-61
- cast materials, 122-24
- Composites (fiber reinforced)  
hot isostatic pressing, 198
- Compounds (refractory)  
reactions in liquid media, 116-17  
reactions with metals, 116  
wettability by molten metals, 116
- Computer codes and programs  
for fuel studies, 212-15
- Concrete  
properties in pressure vessels, 252
- Construction materials  
corrosion, 32
- Control materials, 217-24
- Coolants (alkali metal)  
corrosive effects, 96
- Coolants (organic)  
corrosive effects, 31, 93, 230  
fouling effects, 165-66
- Copper  
drawing, vibration effects on, 124  
interdiffusion with U, 203  
zone melting, 194
- Copper (brazed bonded)  
heat-transfer and ultrasonic-transmission  
properties, correlation of, 64
- Copper (irradiated)  
defect clusters, 173-74, 236
- dislocation movement, 106  
embrittlement, 171  
Ni diffusion into, 106
- Copper-alloy sheet (Be-Cu)  
development of solid-solution-strengthened, 219
- Copper alloys (Al-Cu)(irradiated)  
dislocation movement, 106
- Copper alloys (Be-Cu)  
metallurgy, mechanical, 155  
production by splat cooling, 219  
tensile properties, 219
- Copper alloys (Cu-Fe-Zr)  
hydriding, 230
- Copper alloys (Cu-Mo-Zr)  
corrosion, heat-treatment effects on, 93
- Copper alloys (Cu-Nb-Zr)(irradiated)  
tensile properties, 168
- Copper alloys (Cu-U)  
ignition, 15  
oxidation, 15, 69
- Copper alloys (Cu-Zr)  
corrosion, 228-29  
development, 245  
use for brazing, 263
- Copper composites (Cu-W)  
corrosion, 161
- Copper single crystals (irradiated)  
critical shear stress, 173-74
- Copper systems (B<sub>4</sub>C-Cu)  
fabrication and properties, 24-25
- Cores  
fission-product release, 149  
reactivity, crud effects on, 159
- Crusilite A (irradiated)  
lattice damage, 187
- D
- D-11  
corrosion, 101
- D-14  
corrosion, 101
- D-36  
welding, 130
- D-43  
corrosion, 100-1  
mechanical properties, 240  
physical properties, 240  
stress-rupture properties, heat-treatment  
effects on, 50  
tensile properties, aging effects on,  
239-40  
welding, 129-30
- D-43 (coated)  
evaluation, 28
- D-43 (silicide coated)  
oxidation, 161
- Diffusion bonds  
nondestructive testing, 264
- Disil coatings  
evaluation on Nb alloys, 28
- Durak KA coatings  
evaluation on Nb alloys, 28  
for Nb-Zr alloys, 162
- Dysprosium  
oxidation, 27
- Dysprosium oxide  
Young's modulus, 54
- Dysprosium oxide dispersions ( $\text{Dy}_2\text{O}_3$ -Ni)  
stability, 25
- Dysprosium oxide dispersions ( $\text{Dy}_2\text{O}_3$ -Ni)  
(Inconel 600 clad)  
fabrication and stability, 25

## E

- Eddy-current testing, 65, 132, 200
- Electron-beam zone refiner
  - characteristics, 194
- Electroplating
  - (see Plating)
- Erbium
  - oxidation, 27
- Erbium hydride
  - thermodynamic properties, 221
- Erbium oxide
  - O self-diffusion in, 114-15
  - Young's modulus, 54
- Europium
  - burnup in irradiated  $\text{Eu}_2\text{O}_3$ -stainless steel dispersions, 223
  - oxidation, 27
- Europium molybdenum oxide-dispersion control rods ( $\text{Al-Eu}_2\text{O}_3\text{-MoO}_3$ ) (irradiated)
  - performance, 92
- Europium oxide
  - compatibility with stainless steel, 222-23
  - corrosion, 223
- Europium oxide cermets ( $\text{Eu}_2\text{O}_3$ -stainless steel)
  - corrosion, 25
- Europium oxide cermets ( $\text{Eu}_2\text{O}_3$ -stainless steel- $\text{TiO}_2$ )
  - corrosion, 25
- Europium oxide-dispersion control rods ( $\text{Al-Eu}_2\text{O}_3$ ) (irradiated)
  - performance, 92
- Europium oxide dispersions ( $\text{Eu}_2\text{O}_3$ -stainless steel) (irradiated)
  - behavior, 222
  - burnup of Eu, 223
- Europium oxide microspheres
  - preparation and properties, 91
- Europium oxide mixtures ( $\text{Eu}_2\text{O}_3$ - $\text{TiO}_2$ )
  - corrosion, 25
- Experimental Boiling Water Reactor Core IA
  - fuel, irradiation performance of, 71
- Explosion forming, 261
- Explosive metalworking, 127-28

## F

- F-48
  - corrosion, 101
- Fabrication
  - special techniques, 59-67, 121-33, 194-202, 257-66
- Facings
  - corrosion of hard, 229
- Fertile materials, 1-19, 69-82, 135-51, 203-16
- Films
  - properties, 225
- Fluoride salts (fused)
  - corrosive effects, 103-4
- Foils
  - coating of, 199
  - preparation of Mo and Re, 196
- Forming (explosion), 261
- FS-60
  - corrosion, 101
- FS-85
  - corrosion, 101
  - creep-rupture properties, 42
  - mechanical properties, 239-40
  - physical properties, 240
  - welding, 130
- FS-85 sheets
  - explosive bonding, 64
- Fuel elements (clad)
  - pressure bonding, 62

- Fuel elements (irradiated)
  - growth and swelling in cylindrical, 79
- Fuel materials, 1-19, 69-82, 135-51, 203-16
  - (see also Nonfuel materials and specific fuel materials)
- Fuels
  - fabrication in France, 257-58
  - reactions with water, 211
- Fuels (carbide-oxide) (irradiated)
  - fission-gas retention, 214
- Fuels (coated particle), 10-11, 74-75, 142-43
- Fuels (dispersion) (irradiated)
  - swelling, porosity effects on, 74
- Fuels (hydride)
  - thermal conductivity, H/Zr-ratio effect on, 221
- Fuels (irradiated)
  - burnup analysis, 148-49, 213
  - fission-product behavior, 149, 212-14
- Fuels (molten)
  - corrosive effects, 31-32
- Fuels (molten) (irradiated)
  - fission-product release, 212
- Fuels (oxide) (Zircaloy clad) (irradiated)
  - evaluation, computer program for, 214-15
- Fused fluoride salts
  - corrosive effects, 103-4

## G

- Gadolinium
  - oxidation, 27, 91
  - solubility in W, 91
- Gadolinium alloys (Gd-Mo)
  - phase studies, 91
- Gadolinium alloys (Gd-Pu-Y)
  - phase studies, 139
- Gadolinium oxide compacts ( $\text{Al}_2\text{O}_3$ - $\text{Gd}_2\text{O}_3$ )
  - fabrication and thermal expansion, 223
- Gadolinium sesquioxide systems ( $\text{Cr}_2\text{O}_3$ - $\text{Gd}_2\text{O}_3$ )
  - phase studies, 252
- Gallium alloys (Ga-Pu)
  - delta-phase stability, 72
- GE 2541
  - corrosion, 226
- General Electric J8100
  - corrosion, 102-3
- General Electric J8300
  - corrosion, 102-3
- Germanium systems (Al-Ge-Si-Ag)
  - use for brazing, 262
- Germanium systems (Al-Ge-Si-Zn)
  - use for brazing, 262
- Gold
  - reactions with UC and UN, 209
- Gold (irradiated)
  - damage, 42
  - defect clusters, 174
- Gold alloys
  - (see ANM-16)
- Graphite
  - (see also Carbon)
  - analysis, 20
  - compatibility with Li, 30
  - compatibility with Na, 229
  - cracks, eddy-current investigation of, 83-84
  - fabrication, 218
  - fracture toughness, 154
  - magnetic force welding, 262
  - mechanical properties, degassing effects on, 154
  - out-of-plane waves, velocity of, 84
  - radiography, 217
  - reactions with Nb, 179
  - thermal conductivity, 84

- Graphite (irradiated)
  - compatibility with irradiated  $\text{BeO}$ , 153-54
  - creep, 83
  - dimensional changes in boronated, 222
  - properties, 152-54, 217-18
  - strain absorption, 83
- Graphite (polycrystalline)
  - thermal expansion, 20
- Graphite (pyrolytic) (irradiated)
  - dimensional changes, 217
- Graphite (TSGBF)
  - expansion, Na effects on, 29
- Graphite (TSX)
  - expansion, Na effects on, 29
- Graphite coatings
  - deposition, 75, 142
- Graphite composites (graphite-metal)
  - hot pressing, 20, 198
- Graphite composites (graphite-NbC)
  - thermal expansion, 116
- Graphite joints (graphite-Hastelloy N)
  - corrosion, 103
- Graphite joints (graphite-Mo)
  - corrosion, 103
- Graphite systems (graphite-refractory metal)
  - melting and casting, 257

## H

- Hafnium
  - elastic moduli, temperature effects on, 24
  - grain growth, 221-22
- Hafnium (irradiated)
  - mechanical properties, 41
- Hafnium-alloy coatings (Hf-Ta)
  - for Ta-W alloys, 225
- Hafnium alloys (Cr-Hf)
  - phase studies, 24
- Hafnium alloys (Hf-Mo)
  - aging, 111
  - recrystallization temperature, 241
  - rupture strength, 241
- Hafnium alloys (Hf-Mo-Ta)
  - oxidation, 222
- Hafnium alloys (Hf-Nb)
  - high-temperature properties, W- and Y-addition effects on, 111
- Hafnium alloys (Hf-Nb-Ti-W)
  - mechanical properties and oxidation, 49
- Hafnium alloys (Hf-Ta)
  - phase studies and properties, 222
- Hafnium alloys (Hf-Ta-W)
  - thermal conductivity, 110
- Hafnium alloys (Hf-Ta-Zr)
  - oxidation, 222
- Hafnium carbide
  - stoichiometry, 186
- Hafnium composites (graphite-Hf)
  - hot pressing, 20
- Hafnium diboride
  - fabrication, 188
  - hot hardness, 188
  - oxidation of zone-melted, 117
  - thermal expansion, 223
- Hafnium dioxide
  - reaction with HfC, 251-52
- Hafnium dioxide coatings
  - for Ta-W alloys and W, 227-28
- Hafnium dioxide composites (HfO<sub>2</sub>-W)
  - strength, 183
- Hafnium monocarbide
  - properties, 115, 249, 251-52
- Hafnium monocarbide castings
  - hot hardness, 59, 250
  - oxidation, 250
- Hafnium monocarbide-system castings (C-HfC)
  - hardness and stress relieving, 186



- Hafnium monocarbide systems (C-HfC)  
 eutectic temperature, 186  
 melting and casting, 257  
 properties, 257
- Hafnium monocarbide systems (HfC-TaC)  
 properties, 250-51
- Hafnium monocarbide systems (HfC-ZrC)  
 fusion point, 250-51
- Hafnium oxide  
 self-diffusion in, 54
- Hafnium systems (C-Cr-Hf-Mo-Y-Zr)  
 tensile properties, 237
- Hafnium systems (C-Cr-Hf-Y-Zr)  
 tensile properties, 237
- Hafnium systems (C-Hf-Nb)  
 phase studies, 51
- Hafnium systems (C-Hf-Ta)  
 phase studies, 51
- Hafnium systems (C-Hf-W)  
 fabrication and preparation, 52
- Hafnium systems (Hf-Nb-N)  
 precipitation hardening, 50
- Hastelloy B  
 mass transfer, 98-99
- Hastelloy C  
 brazing, 263  
 corrosion, 226, 229  
 mechanical properties, 47
- Hastelloy N  
 corrosion, 31-32, 226  
 creep-rupture properties, 182  
 specific heat, temperature effects on, 248-49
- Hastelloy N (irradiated)  
 creep-rupture properties, 171-72  
 embrittlement, 106  
 stress-rupture properties, 234
- Hastelloy N joints (graphite-Hastelloy N)  
 corrosion, 103
- Hastelloy W  
 aging effects on weld-metal, 109  
 mass transfer, 98-99
- Hastelloy X  
 aging effects on weld-metal, 109  
 corrosion, 160, 226  
 evaporation in He, 94
- Hastelloy X nozzles  
 welding, 262
- Hastelloy X weld joints  
 aging effects, 129
- Hastelloy X-230  
 aging effects on welded, 109
- Hastelloy X-280 (irradiated)  
 rupture and tensile properties, 37
- Haynes 25  
 brazing, 263  
 corrosion, 226  
 evaporation in He, 94
- Haynes 25 weld joints  
 aging effects, 129
- Haynes 56  
 compatibility with PuC-UC mixtures, 73  
 compatibility with  $\text{Pu}_{0.2}\text{U}_{0.8}\text{C}$ , 12
- Haynes Stellite-25  
 aging effects on welded, 109-10  
 mechanical properties, effects of Fe and Si on, 47
- HB-40  
 corrosive effects, 31, 230
- Holmium  
 oxidation, 27
- Holmium tetraboride  
 fabrication and hot hardness, 188
- Honeycomb materials  
 tap testing, 264
- Hot working, 60-61  
 cast materials, 122-24
- HT 60  
 embrittlement of welded joints, 46
- Hydride fuels  
 thermal conductivity, H/Zr-ratio effect on, 221
- Hydrides (alkali metal)  
 heats of formation, 221
- Hydrogen systems (H-La)  
 phase studies, 22, 88-89
- Hydrogen systems (H-N-Zr)  
 phase studies, 89
- Hydrogen systems (H-U)  
 ignition, 15
- HYMU-80  
 corrosion, 31-32
- IN-100  
 mechanical properties, 47
- IN-102  
 corrosion, 226  
 fabrication, 219
- Incipient boiling detectors  
 ultrasonic testing, 200
- Incoloy  
 corrosion, 230  
 magnetic force welding, 262
- Incoloy 800  
 corrosion, 160, 228
- Incoloy 800 (irradiated)  
 tensile properties, 233-34
- Inconel  
 mass transfer, 98-99  
 stress-corrosion cracking, 159
- Inconel 600  
 corrosion, 31-32, 226  
 explosive bonding, 64
- Inconel 600 joints (Inconel 600-Zircaloy-2) (irradiated)  
 tensile properties, 39-40
- Inconel 600 tubes  
 stress-corrosion cracking, 94
- Inconel 625  
 compatibility with PuC-UC mixtures, 73  
 corrosion, 226
- Inconel 718  
 mechanical properties, 47
- Inconel 800  
 corrosion, 226
- Inconel X  
 corrosion, 160  
 mass transfer, 98-99
- Inconel X (irradiated)  
 mechanical properties, 234
- Inconel X-550  
 corrosion, 99
- Inconel X-750  
 corrosion, 99  
 mechanical properties, 47
- Indium (molten)  
 corrosive effects, 230
- Indium alloys (Cd-In-Ag) (Ni plated) (irradiated)  
 oxidation and tensile properties, 24
- Indium alloys (Cd-In-Ag) (stainless-steel clad)  
 fabrication, 24
- INOR-8  
 specific heat, temperature effects on, 248-49
- INOR-8 (irradiated)  
 creep-rupture properties, 171-72
- Iridium  
 compatibility with molten  $\text{PuO}_2$ , 140  
 diffusion studies, 54  
 interdiffusion with Ta, 180  
 oxidation, 160  
 powder metallurgy, 197  
 reaction with UC, 209
- Iridium (irradiated)  
 defect clusters, 174
- Iridium-alloy coatings  
 for Ta alloys, 161-62
- Iridium alloys (Ir-Rh)  
 oxidation, 160
- Iridium alloys (Ir-W)  
 powder metallurgy, 197
- Iridium-system coatings  
 for Ta alloys, 161
- Iron  
 corrosion, 103  
 diffusion in Al-Fe alloy, 54  
 strain aging, effect of stress on, 111-12  
 tensile properties, 248  
 wetting in molten Na, 101  
 zone melting, 194
- Iron (Armco)  
 corrosion, 96, 98  
 penetration by molten Fe-U eutectics and U, 135
- Iron (irradiated)  
 annealing kinetics, 236  
 damage, 41-42  
 electrical resistivity, 106  
 hardness, 173  
 yield stress, 234-35
- Iron alloys  
 (see also Haynes 56)  
 compatibility with  $\text{Pu}_{0.2}\text{U}_{0.8}\text{C}$ , 12  
 oxidation, 247  
 wetting in molten Na, 101
- Iron alloys (Al-Cr-Fe-Y)  
 corrosion, 226, 248  
 metallurgy, 46-47  
 oxidation, 26-27, 46-47  
 production of corrosion-resistant, 260  
 tensile properties, 247-48
- Iron alloys (Al-Cr-Fe-Y) (irradiated)  
 embrittlement, 170  
 mechanical properties, 37
- Iron alloys (Al-Fe)  
 Fe diffusion in, 54  
 sintering, 230  
 tensile properties, 248
- Iron alloys (Al-Fe-U)  
 phase studies, 69
- Iron alloys (Be-Fe)  
 tensile properties, 248
- Iron alloys (Co-Fe-Pu)  
 phase studies, 139
- Iron alloys (Cr-Fe) (irradiated)  
 embrittlement, 170
- Iron alloys (Cr-Fe-Ni)  
 B effects on, 246-47  
 sigma-phase precipitation, (Fe,Cr), 109  
 strength, Mo effects on, 176  
 Ti effects on, 246-47  
 zone melting, 194
- Iron alloys (Cr-Fe-Ni-Nb)  
 hardening by precipitation, 177
- Iron alloys (Cr-Fe-Nb-Sn-Zr)  
 corrosion, 225
- Iron alloys (Cr-Fe-Zr)  
 preparation, 122
- Iron alloys (Co-Fe-U)  
 phase studies, 71
- Iron alloys (Cu-Fe-Zr)  
 hydriding, 230
- Iron alloys (Fe-Nd)  
 phase studies, 24
- Iron alloys (Fe-Ni)  
 wetting in molten Na, 101  
 zone melting, 194
- Iron alloys (Fe-Ni-Nb-Sn-Zr)  
 hydriding, 230
- Iron alloys (Fe-Ni-W)  
 fabricability, 52

- Iron alloys (Fe-Nb)  
oxidation, 227
- Iron alloys (Fe-Ti)  
tensile properties, 248
- Iron alloys (Fe-U)  
ignition, 15
- Iron alloys (Fe-U)(molten)  
penetration of Armco Fe by, 135
- Iron alloys (Fe-V)  
tensile properties, 248
- Iron alloys (Fe-Zr)  
use for brazing, 263
- Iron alloys (irradiated)  
phase transformations, 106
- Iron systems (Cr-Fe-Si-Ti-V)  
fused-slurry coatings developed from, 161
- Iron systems (Fe-Mo-Si)  
phase studies, 242
- Iron systems (Fe-Si-U)  
phase studies, 69
- J**
- Joining, 128-31
- Joints (brazed)  
nondestructive testing, 264
- K**
- K-95  
corrosion, 229
- L**
- L-605  
embrittlement reduction, 110  
mechanical properties, 47, 114
- Lanthanide oxide microspheres  
preparation and properties, 91
- Lanthanides  
oxidation, 27
- Lanthanum  
oxidation, 27
- Lanthanum alloys  
consolidation, 237-38
- Lanthanum alloys (Cr-La)  
nitridation in carbide-containing, 237
- Lanthanum alloys (Cr-La-Mo)  
nitridation in carbide-containing, 237
- Lanthanum hexaboride  
fabrication and hot hardness, 188
- Lanthanum hexaboride systems (LaBe-W)  
phase studies and physical properties, 243
- Lanthanum systems (H-La)  
phase studies, 22, 88-89
- Lead (molten)  
corrosive effects, 103
- Lead alloys (Bi-Pb)(molten)  
corrosive and erosive effects, 30-31
- Lead alloys (Pb-U)  
ignition, 15
- Lead combinations (Pb-LiH)  
gamma-ray attenuation, 221
- Lithium  
corrosive effects, 30, 32, 102, 230  
effects on corrosive effects of Na, 163
- Lithium alloys (Al-Li)(irradiated)  
He bubbles in, 236  
rare-gas diffusion in, 16
- Lithium carbides  
identification using X-ray diffraction, 30
- Lithium deuteride  
compressibility, 157  
heat of formation, 221
- Lithium fluoride systems (BeF<sub>2</sub>-LiF-ThF<sub>4</sub>-UF<sub>6</sub>-ZrF<sub>4</sub>)(molten)  
corrosive effects, 103
- Lithium fluoride systems (LiF-UF<sub>6</sub>)(molten)  
corrosive effects, 103-4
- Lithium hydride  
compatibility with W alloy and ZrH<sub>2</sub>, 221  
compressibility, 157  
heat of formation, 221  
neutron attenuation, 221
- Lithium hydride combinations (Pb-LiH)  
gamma-ray attenuation, 221
- Loops (molten K)  
incipient boiling detector, 64
- Loops (primary)  
acoustic-emission testing, 264
- Lutetium  
oxidation, 27
- M**
- Magnesium  
compatibility with metals, 180  
corrosion, 95
- Magnesium alloys  
(see AL80, MN70, ZR55, and ZR57)  
corrosion, 95  
patent for improved, 112
- Magnesium alloys (Mg-Y)  
oxidation and strength, 53
- Magnesium oxide  
extrusion, 126  
reactions with H<sub>2</sub>PO<sub>3</sub>F, 115  
self-diffusion in, 54
- Magnesium oxide powder  
sintering, 189
- Magnox AL80  
(see AL80)
- Manganese  
self-diffusion in, 179
- Manganese alloys  
(see also MN70)  
use for brazing, 264
- Manganese alloys (Mn-Zr)  
use for brazing, 263
- Melting, 59-60, 121-22, 194, 257
- Mercury  
corrosive effects, 30
- Metal carbide castings  
properties, 250
- Metal carbides  
free energy of formation, 102  
hot pressing, 61  
spin casting, 250
- Metal carbides (transition-)  
elastic properties, 115  
reactions with oxides, 251-52
- Metal composites (graphite-metal)  
hot pressing, 20
- Metal diborides (transition-)  
thermal conductivity, 222
- Metal dispersions (ceramic-metal)  
development, 141
- Metal hydrides (alkali-)  
heats of formation, 221
- Metal oxide microspheres  
preparation, 12
- Metal oxides  
self-diffusion in, 54
- Metal oxides (transition-)  
reactions with carbides, 251-52
- Metal powders  
(see Powder metallurgy)
- Metal systems (refractory-)(graphite-refractory metal)  
melting and casting, 257
- Metallurgy (powder)  
(see Powder metallurgy)
- Metals  
compatibility studies, 180  
corrosion of chromized, 159  
deformation processing, 60  
diffusion in, 54, 179  
embrittlement, 166  
fission-product migration in, 54  
hot-press bonding of dissimilar, 197  
hot rolling, 123  
inert-gas behavior with respect to, 54, 147-48  
mechanical properties, effects of material removal on, 53  
reactions with refractory compounds, 116  
reactions with water, 32-33, 104, 166-67, 230-32  
working, 60, 127-28  
zone melting, 194
- Metals (alkali)  
corrosive effects, 32, 96
- Metals (irradiated)  
coalescence of spheres by surface diffusion, 16  
embrittlement and damage recovery, 106  
fission-fragment tracks in, 16  
point defects, 236
- Metals (molten)  
bibliographies, 32, 230  
casting, nondestructive examination during, 264  
compatibility and corrosive effects, 32  
embrittlement effects on metals, 166  
wetting of refractory compounds by, 116
- Metals (refractory)  
analyses for interstitial elements, comparison of chemical, 110  
brazing, 199, 263-64  
coating of, 62-63, 198-99  
compatibility with metals, 180  
corrosion, 27-28, 226-27, 230  
deformation, 111  
diffusion studies, 54  
extrusion, 123-24, 196  
melting, electron-beam, 60  
metallurgy, 236-44  
soldering, 263-64
- Metals (refractory)(coated)  
corrosion, 227-28
- Metals (transition)  
conductivity, electrical and thermal, 222
- MN70  
fatigue properties, 114
- Moderator materials, 20-23, 83-90, 152-57, 217-24
- Molybdenum  
Al-alloy coatings for, 162  
bonding, 262  
brazing, 199, 263  
C solubility in, 241  
compatibility with Li, 30  
corrosion, 100, 103  
crystallization, vibration effects on, 195  
deposition, 126-27  
diffusion bonding, 260  
diffusion studies, 54  
ductility, melting techniques for improving, 59-60  
ductility, addition effects on, 111, 240-41  
ductility, annealing effects on, 241  
electroplating Cr and Ni on, 261  
extrusion, lubricants for, 123  
hot workability, addition effects on, 52  
mechanical properties, 178, 195  
melting, 60, 194  
oxidation, 96  
passivity, 96  
K diffusion in, 30  
magnetic force welding, 262  
metallurgy, 240-42

- reactions with UC-ZrC system, 145  
recrystallization, metal-addition effects on, 111  
solubility in molten Pu, 4  
solubility in UN, 77  
structure, annealing effects on, 241  
thermal conductivity, grain-size effects on, 178  
twinning, Re-addition effects on, 111  
U diffusion in, 135  
zone refining, 121-22, 194
- Molybdenum (irradiated)**  
defect clusters, 42, 172-73, 236  
mechanical properties, 172  
tensile properties, 41
- Molybdenum-alloy tubing**  
fabrication, 124-25, 196-97
- Molybdenum alloys**  
(see also TZC and TZM)  
extrusion, lubricants for, 123  
precipitation-hardenable, patent for, 178
- Molybdenum alloys (Al-Mo-Sn-Zr)**  
corrosion, 229
- Molybdenum alloys (Cr-La-Mo)**  
nitridation in carbide-containing, 237
- Molybdenum alloys (Cr-Mo)**  
solid solubility in, 241
- Molybdenum alloys (Cr-Mo)**  
structure, 236-37
- Molybdenum alloys (Cr-Mo-Nb)**  
phase studies, 111
- Molybdenum alloys (Co-Mo)**  
properties, addition effects on, 47
- Molybdenum alloys (Cu-Mo-Zr)**  
corrosion, heat-treatment effects on, 93
- Molybdenum alloys (Gd-Mo)**  
phase studies, 91
- Molybdenum alloys (Hf-Mo)**  
aging, 111  
recrystallization temperature, 241  
rupture strength, 241
- Molybdenum alloys (Hf-Mo-Ta)**  
oxidation, 222
- Molybdenum alloys (Mo-Ni)**  
specific heat, temperature effects on, 248-49
- Molybdenum alloys (Mo-Nb)**  
Nb self-diffusion in, 180  
recrystallization, fabrication effects on, 258-59
- Molybdenum alloys (Mo-Nb-Ta-W)**  
creep mechanism, 50-51
- Molybdenum alloys (Mo-Nb-Ti-U-Zr)**  
tensile properties, 137
- Molybdenum alloys (Mo-Nb-Zr)**  
phase studies, 111
- Molybdenum alloys (Mo-Pu-U)**  
compatibility with stainless steel 304L and thermal expansion, 6
- Molybdenum alloys (Mo-Re)**  
corrosion, 103
- Molybdenum alloys (Mo-Re-W)**  
creep properties, 183-84  
development, 179  
ductility, 52  
mechanical properties, 242  
physical properties, 242  
powder metallurgy, 124
- Molybdenum alloys (Mo-Ta-V)**  
phase studies, 243
- Molybdenum alloys (Mo-Ti)**  
aging, 111  
cavitation, 30  
extrusion, lubricants for, 123  
recrystallization temperature, 241  
rupture strength, 241
- Molybdenum alloys (Mo-Ti-Zr)**  
corrosion, 161  
phase studies, 111
- Molybdenum alloys (Mo-W)**  
corrosion, 103  
diffusion studies, 54  
preparation by vapor deposition, 198
- Molybdenum alloys (Mo-U)**  
brazing, 263  
ignition, 15  
structure, 4, 135
- Molybdenum alloys (Mo-U) (irradiated)**  
properties, 16
- Molybdenum alloys (Mo-V)**  
corrosion, 99
- Molybdenum alloys (Mo-Y)**  
oxidation, 96
- Molybdenum alloys (Mo-Zr)**  
aging, 111  
corrosion, 161  
recrystallization, fabrication effects on, 258-59  
recrystallization temperature, 241  
rupture strength, 241
- Molybdenum billets**  
evaluation for forging, 60
- Molybdenum boride**  
production, 188
- Molybdenum braze alloys (Mo-Re-Ru)**  
patent for, 199
- Molybdenum carbide**  
C diffusion in, 179  
Young's modulus, 115
- Molybdenum coatings**  
deposition of, 63
- Molybdenum composites (graphite-Mo)**  
hot pressing, 20
- Molybdenum disilicide**  
slip casting, 62
- Molybdenum disilicide-system powders (MoSi<sub>2</sub>-ZrB<sub>2</sub>)**  
sintering, 188
- Molybdenum foil**  
preparation, 196
- Molybdenum joints (graphite-Mo)**  
corrosion, 103
- Molybdenum sheet**  
development of high-ductility, 52-53
- Molybdenum single crystals**  
deformation, 240-41  
mechanical properties, orientation effects on, 111
- Molybdenum systems (C-Cr-Hf-Mo-Y-Zr)**  
tensile properties, 237
- Molybdenum systems (C-Mo)**  
recrystallization temperature and rupture strength, 241
- Molybdenum systems (C-Mo-W-Y)**  
corrosion, 161
- Molybdenum systems (C-Mo-U)**  
phase relations, PuC-addition effects on, 77
- Molybdenum systems (Co-Mo-Si)**  
phase studies, 242
- Molybdenum systems (Fe-Mo-Si)**  
phase studies, 242
- Molybdenum tubing**  
fabrication, 196
- Monel K-500**  
mechanical properties, 47
- Multimet**  
corrosion, 228
- Neodymium alloys (Fe-Nd)**  
phase studies, 24
- Neodymium alloys (Nd-Pu-Y)**  
phase studies, 139
- Neptunium**  
electrodeposition, 63
- Neptunium alloys (Al-Np)**  
preparation, 121
- Neutron radiography, 65, 131-32, 264**
- Nickel**  
compatibility with UN, 12  
corrosion, 27, 94, 96, 98, 103  
deposition, 62-63, 127  
electroplating on Mo and U, 261  
magnetic force welding, 262  
mechanical properties, 47  
reaction with steam, 230  
wetting in molten Na, 101  
zone melting, 194
- Nickel (irradiated)**  
critical shear stress, 174  
defect clusters, 42, 236
- Nickel-63**  
diffusion into irradiated Cu, 106
- Nickel 200**  
corrosion, 160
- Nickel 201**  
corrosion, 27, 160
- Nickel alloys**  
(see also Alloy 713C, Alloy 713LC, Alloy 718, Hastelloy..., Haynes 25, HYMU-80, Incoloy 800, Inconel..., INOR-8, Monel K-500, Nickel 200, Nickel 201, Nimonic PE16, PDRL-120, Rene 41, TD-50, Udimet 500, and Waspaloy)  
corrosion, 100, 226, 228  
fabrication, 122  
mass transfer, 98-99  
mechanical properties, 45, 47  
metallurgy, 248-49  
wetting in molten Na, 101
- Nickel alloys (Al-Cr-Ni-Ti)**  
crystal structure, W effects on, 177
- Nickel alloys (Be-Ni)**  
metallurgy, mechanical, 155
- Nickel alloys (Bi-Ni-Sn)**  
wear, 225
- Nickel alloys (Ce-Ni-Pu)**  
phase studies, 139
- Nickel alloys (Cr-Fe-Ni)**  
B effects on, 246-47  
sigma-phase precipitation, (Fe,Cr), 109  
strength, Mo effects on, 176  
Ti effects on, 246-47  
zone melting, 194
- Nickel alloys (Cr-Fe-Ni-Nb)**  
hardening by precipitation, 177
- Nickel alloys (Cr-Ni)**  
Cr diffusion in, 179  
corrosion, 96, 98  
specific heat, temperature effects on, 248-49  
strength, effects of Mo and Nb on, 47
- Nickel alloys (Cr-Ni alloy (TD))**  
brazing, 263
- Nickel alloys (Cr-Ni-Pd)**  
corrosion, 103
- Nickel alloys (dispersion strengthened)**  
compaction, 62
- Nickel alloys (Fe-Ni)**  
wetting in molten Na, 101  
zone melting, 194
- Nickel alloys (Fe-Ni-Nb-Sn-Zr)**  
hydriding, 230
- Nickel alloys (Fe-Ni-W)**  
fabricability, 52
- Nickel alloys (irradiated)**  
ductility, 34-35

NaK

corrosive effects, 32

Neodymium

oxidation, 27

N

mech  
Nickel  
spec  
24  
Nickel  
hard  
phas  
Nickel  
igni  
Nickel  
bon  
bra  
Cr  
mag  
stre  
Nickel  
depo  
Nickel  
fab  
Nickel  
cor  
Nickel  
col  
Nickel  
sta  
Nickel  
fab  
Nickel  
bel  
Nickel  
sel  
Nickel  
me  
Nickel  
sig  
Nir  
co  
Nir  
cor  
Nir  
co  
Nim  
co  
Nim  
du  
Nio  
al  
co  
co  
co  
de  
e  
H  
m  
m  
c  
c  
p  
p  
m  
N



- mechanical properties, 233-34
- Nickel alloys (Mo-Ni)
  - specific heat, temperature effects on, 248-49
- Nickel alloys (Ni-Nb)
  - hardness, 238
  - phase studies, 177, 238
- Nickel alloys (Ni-U)
  - ignition, 15
- Nickel alloys (TD)
  - bonding, 126
  - brazing, 263
  - Cr diffusion in, 179-80
  - magnetic force welding, 262
  - strength, 43
- Nickel coatings
  - deposition, 10, 127
- Nickel composites (graphite-Ni)
  - fabrication by hot isostatic pressing, 198
- Nickel couples (Al-Ni)
  - corrosion, 94
- Nickel-dispersion sheet (Ni-ThO<sub>2</sub>)
  - cold rolling and annealing, 177
- Nickel dispersions (Dy<sub>2</sub>O<sub>3</sub>-Ni)
  - stability, 25
- Nickel dispersions (Dy<sub>2</sub>O<sub>3</sub>-Ni) (Inconel 600 clad)
  - fabrication and stability, 25
- Nickel monocarbide (irradiated)
  - behavior, 187-88
- Nickel oxide
  - self-diffusion in, 54
- Nickel superalloys
  - mechanical and physical properties, 249
- Nickel systems (Al-C-Cr-Co-Ni-Ti)
  - sigma-phase formation, 248
- Microbraz 10
  - corrosion, 102-3
- Microbraz 30
  - corrosion, 229
- Microbraz 50
  - corrosion, 102-3, 229
- Nimonic 80A
  - corrosion, 228
- Nimonic PE16 (irradiated)
  - ductility, 37
- Niobium
  - absorption of O and water, 227
  - coating of, with Al alloys, 162
  - coating of, with NbSi<sub>2</sub>, 63
  - compatibility with K, 29
  - corrosion, 95, 100, 103-4, 164
  - diffusion studies, 54
  - electrical resistivity, 238
  - extrusion, 123, 125
  - H solubility in, 110-111
  - internal friction, 239
  - mechanical properties, 110, 113, 239, 258
  - metallurgy, 238-40
  - microflow properties, 239
  - oxidation, 160-61, 227
  - preparation, 195
  - purification, 238
  - reactions with graphite, 179
  - recrystallization, fabrication effects on, 258
  - recovery in cold-worked, 110
  - self-diffusion in Mo-Nb alloys, 180
  - solid-solution hardening, 178
  - solubility in molten Pu, 4
  - strain aging, effect of stress on, 111-12
  - U diffusion in, 135
  - yield point, 238
  - yield stress, zone-purification effects on, 112
  - zone melting, 194
- Niobium (Al-Sn-NbSi<sub>2</sub> coated)
  - oxidation, 228
- Niobium (fluoride coated)
  - oxidation, 96
- Niobium (irradiated)
  - hardening, 236
- Niobium-alloy pressure tubes (Nb-Zr)
  - evaluation, 245, 258
  - fabrication, 258
- Niobium-alloy sheets (Nb-Ta)
  - explosive bonding, 64
- Niobium-alloy sheets (Nb-Zr)
  - explosive bonding, 64
- Niobium-alloy tubing (Nb-Zr)
  - fabrication, 196
- Niobium alloys
  - (see also AS-55, B-66, C-129V, Cb-132, Cb-132M, Cb-752, Cb-753, D-11, D-14, D-36, D-43, F-48, FS-85, S-291, and X-34)
  - corrosion, 95
  - ductility, 49
  - extrusion, lubricants for, 123
  - fabricability, 49-50
  - mechanical properties, 49, 239-40
  - physical properties, 240
  - strength, 49
  - tensile properties, aging effects on, 239-40
  - welding, 129-30
- Niobium alloys (Al-Nb)
  - phase studies, 51
- Niobium alloys (Al-Nb-Ti)
  - mechanical properties, 113
- Niobium alloys (Cr-Fe-Ni-Nb)
  - hardening by precipitation, 177
- Niobium alloys (Cr-Fe-Nb-Sn-Zr)
  - corrosion, 225
- Niobium alloys (Cr-Mo-Nb)
  - phase studies, 111
- Niobium alloys (Cr-Nb)
  - oxidation, 161
- Niobium alloys (Co-Nb)
  - oxidation, 227
  - phase studies, 51
- Niobium alloys (Cu-Nb-Zr)(irradiated)
  - tensile properties, 168
- Niobium alloys (Hf-Nb)
  - high-temperature properties, W- and Y-addition effects on, 111
- Niobium alloys (Hf-Nb-Ti-W)
  - mechanical properties and oxidation, 49
- Niobium alloys (Fe-Ni-Nb-Sn-Zr)
  - hydriding, 230
- Niobium alloys (Fe-Nb)
  - oxidation, 227
- Niobium alloys (Mo-Nb)
  - Nb self-diffusion in, 180
  - recrystallization, fabrication effects on, 258-59
- Niobium alloys (Mo-Nb-Ta-W)
  - creep mechanism, 50-51
- Niobium alloys (Mo-Nb-Ti-U-Zr)
  - tensile properties, 137
- Niobium alloys (Mo-Nb-Zr)
  - phase studies, 111
- Niobium alloys (Ni-Nb)
  - hardness, 238
  - phase studies, 177, 238
- Niobium alloys (Nb-Re)
  - H solubility in, 111
- Niobium alloys (Nb-Re-Zr)
  - oxidation and scale formation, 95
- Niobium alloys (Nb-Ru)
  - phase studies and structure, 239
- Niobium alloys (Nb-Ta)
  - properties and structure, 238-39
- Niobium alloys (Nb-Ta-V)
  - mechanical properties, 242
  - phase studies, 243
  - physical properties, 242
  - strength, 43
- Niobium alloys (Nb-Sn-Zr)
  - corrosion, 93, 225
- Niobium alloys (Nb-Ti)
  - corrosion, 101
  - elastic properties, 238
- Niobium alloys (Nb-Ti-V)
  - strength, 43
- Niobium alloys (Nb-Ti-Zr)
  - corrosion, 164
- Niobium alloys (Nb-W)
  - diffusion in, 180
  - oxidation, 161
  - thermal conductivity, 110, 178
- Niobium alloys (Nb-W-Zr)
  - Be-induced second phase, annealing effects on, 111
- Niobium alloys (Nb-U)
  - ignition, 15
  - metastable phases, 204
  - tensile properties, 71
- Niobium alloys (Nb-U-Zr)
  - phase transformation, 71
  - reaction with water, 15
- Niobium alloys (Nb-U-Zr)(Zircaloy-2 clad) (irradiated)
  - performance, 71
- Niobium alloys (Nb-V)
  - corrosion, 164
  - ductile-brittle transition, 42, 113
  - elastic properties, 238
  - mechanical properties, mechanical-twinning effects on, 239
  - strain hardening, 184
  - strength, 43
  - yield point, Ti effects on, 179
- Niobium alloys (Nb-V)(irradiated)
  - twinning, 172
- Niobium alloys (Nb-Zr)
  - beta-phase decomposition, 51
  - carbide-layer growth on, 54
  - C diffusion in, 54
  - cavitation, 30
  - coatings for, 162
  - compatibility with K, 29-30
  - corrosion, 164-66
  - creep rate, aging effects on, 176
  - ductility, 48
  - hydriding, 31, 93, 230
  - H supersaturation, 109
  - mechanical properties, 108-9
  - mechanical properties, O effects on, 111, 175-76
  - mechanical properties, Na-exposure effects on, 99
  - oxidation, 95
  - oxide films on, potential on, 225
  - phase transformation, 175
  - scale formation, 95
  - strength, Be-addition effects on, 111
  - thermal expansion, H effects on, 48
  - Zr hydride-platelet orientation, 109
- Niobium alloys (Nb-Zr)(hydrided)(irradiated)
  - impact properties, 39
- Niobium alloys (Nb-Zr)(irradiated)
  - creep properties, 39, 168
  - tensile properties of heat-treated, 39
- Niobium carbide
  - C diffusion in, 179
  - stoichiometry, 186
  - Young's modulus, 115
- Niobium carbonitride
  - preparation, 249
- Niobium cladding
  - fabrication on steel, 258
- Niobium composites (graphite-Nb)
  - hot pressing, 20
- Niobium diboride
  - fabrication, 188
  - hot hardness, 188

- thermal expansion, 223  
 Niobium disilicide coatings  
 application on Nb, 63  
 Niobium monocarbide  
 C diffusion in, 54  
 deformation, 116  
 elastic properties, 115  
 electrical resistance, 115, 251  
 preparation, 249  
 reaction with Nb oxide, 251-52  
 thermal conductivity, 251  
 thermal expansion, 251  
 Niobium monocarbide castings  
 hot hardness, 59, 250  
 oxidation, 59, 250-51  
 Niobium monocarbide composites (C-NbC)  
 deformation, 116  
 Niobium monocarbide composites  
 (graphite-NbC)  
 thermal expansion, 116  
 Niobium monocarbide-system castings  
 (C-NbC)  
 hardness and stress relieving, 186  
 Niobium monocarbide systems (C-NbC)  
 eutectic temperature, 186  
 melting and casting, 257  
 properties, 257  
 Niobium monocarbide systems (NbC-ZrC)  
 Hall constant and resistivity, 250  
 Niobium oxide  
 composition, 227  
 evaporation of volatile, 227  
 reaction with NbC, 251-52  
 structure, 227  
 Niobium single crystals  
 preparation, 122  
 Niobium single crystals (irradiated)  
 plastic deformation, 173  
 Niobium solid solutions (Nb-Ti-V)  
 oxidation, 95  
 Niobium systems  
 fabrication, 52  
 Niobium systems (C-Hf-Nb)  
 phase studies, 51  
 Niobium systems (C-Nb-Ti)  
 phase studies, 51  
 Niobium systems (C-Nb-W)  
 fabrication and preparation, 52  
 Niobium systems (C-Nb-Zr)  
 phase studies, 51  
 Niobium systems (Hf-Nb-N)  
 precipitation hardening, 50  
 Niobium systems (H-Nb)  
 mechanical properties and sorption  
 kinetics, 239  
 Niobium systems (H-Nb-Zr)  
 phase studies, 22-23  
 Niobium systems (Nb-Si)  
 hot hardness, 184  
 mechanical properties, 240  
 Niobium tubing  
 fabrication, 196  
 Nitrides  
 thermodynamic potential, 249  
 Nitrides (refractory)  
 fabrication, 185-86  
 preparation, 185-86  
 reactions in liquid media, 116-17  
 reactions with metals, 116  
 wettability by molten metals, 116  
 Nitrogen systems (H-N-Zr)  
 phase studies, 89  
 Nondestructive testing, 64-65, 131-32, 200, 264  
 Nonfuel materials  
 refractory, 115-17, 185-89, 249-52  
 Nonfuel materials (irradiated)  
 fission-product diffusion in, 54  
 properties, 104-6, 167-74
- Nuclear poisons, 24-25, 65, 91-92, 221-23
- O
- Organic coolants  
 corrosive effects, 31, 93, 230  
 fouling effects, 165-66  
 Osmium-alloy coatings (Ir-Os)  
 for Ta alloys, 161  
 Oxide cermets  
 preparation of infiltrated, 125-26  
 Oxide films  
 potential on, on Zr and Zr alloys, 225  
 Oxide fuels  
 homogeneity measurement by fission-track counting, 65  
 Na logging, 29  
 Oxide fuels (irradiated)  
 fission-gas swelling, 80  
 swelling and temperature calculation, 149  
 Oxide fuels (metal clad)(irradiated)  
 analysis of, computer programs for, 80  
 Oxide microspheres  
 preparation of metal, 12  
 Oxides  
 wear of, on Zr alloys, 225  
 Oxides (metal)  
 self-diffusion in, 54  
 Oxides (refractory)  
 reactions with metals, 116  
 Oxides (transition metal)  
 reactions with carbides, 201-04  
 Ozhennite 0.5  
 hydriding, 230
- P
- Palladium alloys (Cr-Ni-Pd)  
 corrosion, 103  
 Palladium alloys (Pd-U)  
 ignition, 15  
 PDRL-120 (irradiated)  
 mechanical properties, 172  
 PFR-32 coatings  
 evaluation on Nb alloys, 28  
 Plastics (polyformaldehyde)  
 corrosion, 94  
 Plating, 62-64, 126-27, 198-99, 260-61  
 Platinum (irradiated)  
 yield strength, 174  
 Platinum alloys (Pt-U)  
 ignition, 15  
 Plutonium  
 compatibility with metals, 180  
 diffusion in  $UO_2$ , 73  
 electrodeposition, 127  
 electrorefining, 205  
 endothermic reaction in, 139  
 grain growth, 5  
 heat capacity, 139, 205  
 oxidation, 205  
 phase transformation, 5  
 pickup in  $UO_2$  microspheres, 206  
 properties, 7  
 Plutonium (molten)  
 solubility of elements in, 4, 139, 205  
 Plutonium alloys  
 measurement of alpha Pu, 5  
 properties, 7  
 Plutonium alloys (Ce-Co-Pu)(molten)  
 corrosive effects, 31  
 fission-gas venting, 4-5  
 Plutonium alloys (Ce-Fe-Pu)  
 phase studies, 139
- Plutonium alloys (Ce-Ni-Pu)  
 phase studies, 139  
 Plutonium alloys (Ce-Pu)  
 density, 205  
 Plutonium alloys (Gd-Pu-Y)  
 phase studies, 139  
 Plutonium alloys (Ga-Pu)  
 delta-phase stability, 72  
 Plutonium alloys (molten)  
 corrosive effects, 31  
 Plutonium alloys (Mo-Pu-U)  
 compatibility with stainless steel 304L  
 and thermal expansion, 6  
 Plutonium alloys (Nd-Pu-Y)  
 phase studies, 139  
 Plutonium alloys (Pu-Th-U)  
 liquidus surface and phase studies, 8  
 Plutonium alloys (Pu-Th-U)(irradiated)  
 burnup, 8  
 Plutonium alloys (Pu-Th-U)(Ti-V alloy clad)(irradiated)  
 behavior, 205  
 Plutonium alloys (Pu-Ti-U)  
 phase studies, 5  
 properties, 138  
 solid-state reactions, 5  
 thermal conductivity, 5  
 thermal properties, 72  
 Plutonium alloys (Pu-Ti-U)(Ti-V-alloy clad)(irradiated)  
 behavior, 138-39  
 Plutonium alloys (Pu-U)  
 development for fast breeder fuel, 5  
 elastic modulus, 6  
 thermal properties, 71  
 Plutonium alloys (Pu-U-Zr)  
 phase studies, 205  
 preparation, 205  
 properties, 138  
 thermal conductivity, 5  
 Plutonium alloys (Pu-U-Zr)(Ti-V-alloy clad)(irradiated)  
 behavior, 138-39  
 Plutonium arsenide  
 preparation, 140  
 Plutonium carbide systems (Pu carbide-U carbide)  
 compatibility with Fe alloys, 12  
 compatibility with stainless steel (304), 207  
 preparation, 73  
 Plutonium carbide systems (Pu carbide-U carbide)(irradiated)  
 behavior, 207  
 Plutonium compounds  
 properties, 7  
 Plutonium dioxide  
 etching, chemical, 7  
 evaporation, 206  
 Plutonium dioxide (irradiated)  
 properties, 140  
 Plutonium dioxide (molten)  
 compatibility with Ir, 140  
 Plutonium dioxide microspheres  
 preparation, 7  
 Plutonium dioxide microspheres (W coated)  
 preparation, 7  
 Plutonium dioxide mixtures (PuO<sub>2</sub>-ThO<sub>2</sub>)  
 preparation, 7  
 Plutonium dioxide mixtures (PuO<sub>2</sub>-UO<sub>2</sub>)  
 preparation, 7  
 Plutonium dioxide mixtures (PuO<sub>2</sub>-UO<sub>2</sub>)  
 (irradiated)  
 behavior, 141  
 compatibility with Na, 29  
 Plutonium dioxide pellets  
 preparation by sintering, 73  
 Plutonium dioxide powder  
 sintering, 73

- Plutonium dioxide solid solutions ( $\text{PuO}_2\text{-UO}_2$ )  
 oxidation, 7
- Plutonium dioxide-system pellets ( $\text{PuO}_2\text{-UO}_2$ )  
 preparation by sintering, 74
- Plutonium dioxide systems ( $\text{BeO-PuO}_2\text{-UO}_2$ )  
 phase studies, 140
- Plutonium dioxide systems ( $\text{PuO}_2\text{-UO}_2$ )  
 phase studies, 73
- Plutonium dioxide systems ( $\text{PuO}_2\text{-UO}_2$ )  
 (irradiated)  
 fission-product behavior, 214
- Plutonium dioxide systems ( $\text{PuO}_2\text{-UO}_2$ )  
 (stainless-steel (316) clad) (irradiated)  
 properties, 7
- Plutonium isotopes ( $^{238}\text{Pu}$ )  
 data sheets, 205
- Plutonium monocarbide  
 compatibility with SiC, 72-73  
 reaction with N, 77, 207  
 thermal properties, 141
- Plutonium monocarbide-mixture powders  
 sintering, 211
- Plutonium monocarbide mixtures ( $\text{PuC-UC}$ )  
 compatibility with cladding materials, 73
- Plutonium monocarbide systems ( $\text{PuC-PuN-UC-UN}$ )  
 phase studies, 144-45
- Plutonium monocarbide systems ( $\text{PuC-UC}$ )  
 compatibility with cladding materials, 77  
 phase studies, 144-45
- Plutonium monocarbide systems ( $\text{PuC-UC}$ )  
 (clad) (irradiated)  
 stability, 13, 210
- Plutonium monocarbide systems ( $\text{PuC-UC}$ )  
 (irradiated)  
 behavior, 210
- Plutonium mononitride  
 O solubility in, 145
- Plutonium mononitride-mixture powders  
 sintering, 211
- Plutonium mononitride systems ( $\text{PuC-PuN-UC-UN}$ )  
 phase studies, 144-45
- Plutonium mononitride systems ( $\text{PuN-UC}$ )  
 phase studies, 144-45
- Plutonium mononitride systems ( $\text{PuN-UN}$ )  
 phase studies, 144-45
- Plutonium monophosphide  
 preparation, 205  
 properties, 205-6
- Plutonium monophosphide powder  
 sintering, 205
- Plutonium monosulfide  
 preparation, 205  
 properties, 205-6
- Plutonium monosulfide powder  
 sintering, 205
- Plutonium monoxide systems ( $\text{PuO-UO}$ )  
 properties and synthesis, 7
- Plutonium nitride systems ( $\text{Pu nitride-U nitride}$ )  
 thermal conductivity, 206-7  
 thermal diffusivity, 206
- Plutonium oxide systems ( $\text{Pu oxide-U oxide}$ )  
 thermal conductivity and thermal diffusivity, 206
- Plutonium oxycarbides  
 volatility, 140
- Plutonium reduction products  
 electrodeposition, 63
- Plutonium sesquicarbide  
 compatibility with SiC, 73
- Plutonium-system microspheres ( $\text{Ce-O-Pu}$ )  
 (W-coated)  
 preparation, 7
- Plutonium systems ( $\text{C-Pu-U}$ )  
 phase studies, 207-8
- Plutonium systems ( $\text{O-Pu-U}$ )  
 compatibility with Na, 29  
 corrosive effects, 29-30, 32, 102-3, 165, 230
- Polyformaldehyde plastic  
 corrosion, 94
- Potassium  
 corrosive effects, 29-30, 32, 102-3, 165, 230  
 diffusion in Mo, 30
- Potassium alloys ( $\text{NaK}$ )  
 corrosive effects, 32
- Potassium chloride eutectics ( $\text{KCl-UCl}_3$ )  
 (molten)  
 corrosive effects, 31-32
- Potassium deuteride  
 heat of formation, 221
- Potassium hydride  
 heat of formation, 221
- Powder metallurgy, 61-62, 124-26, 196-98, 259-60
- Powders (nonmetallic)  
 coatings on, deposition of, 63
- Praseodymium  
 oxidation, 27, 160
- Praseodymium oxide  
 self-diffusion in, 54
- Praseodymium oxide microspheres  
 preparation and properties, 91
- Precipitates  
 inert-gas-bubble binding to, 16
- Pressure bonding, 62, 126, 197-98, 260
- Pressure vessels  
 properties of concrete in, 252  
 steel in, 234-36, 245-46  
 testing, 182, 264
- Primary loops  
 acoustic-emission testing, 264
- Promethium  
 oxidation, 27
- Protactinium  
 diffusion in Th, 208
- Pyrolytic carbon coatings  
 (see Coatings (PyC))
- R**
- Radiation effects  
 Be, 22, 86, 106, 156  
 fuel materials, 15-17, 79-80, 147-49, 205, 212-15  
 nonfuel materials, 54, 104-6, 167-74  
 structural materials, 33-42, 232-36
- Radiography, 65, 131-32, 264
- Rare-earth compounds  
 review of refractory, 186
- Rare-earth nitrides  
 preparation, 59
- Rare-earth silicides  
 oxidation, 188-89
- Reactors (high-temperature gas-cooled)  
 fission-product release from core, metallic, 149
- Reduction vessels  
 cracking in stainless-steel, 123
- Refiner  
 characteristics of electron-beam zone, 194
- Refractories (nonfueled), 115-17, 185-89, 249-52
- Refractory-alloy sheets  
 explosive bonding, 64
- Refractory alloys  
 coatings for, 27-28
- Refractory compounds  
 reactions in liquid media, 116-17  
 reactions with metals, 116
- wettability by molten metals, 116
- Refractory-metal alloys  
 (see Alloys (refractory metal))
- Refractory-metal foils  
 coating of, 199
- Refractory-metal powders  
 compaction, 259
- Refractory-metal systems (graphite-refractory metal)  
 melting and casting, 257
- Refractory metals  
 (see Metals (refractory))
- Rene 41  
 corrosion, 160  
 mechanical properties, 47  
 microstructure of simulated weld-heat-affected zones in, 262  
 strength, 43
- Rhenium  
 C solubility in, 241  
 corrosion, 27, 226  
 deposition, 126, 260  
 diffusion, 54  
 reaction with Ta carbide, 251  
 reaction with UC, 145  
 reactions with UC-ZrC system, 145  
 recrystallization temperature, 52  
 solubility in molten Pu, 4, 205
- Rhenium (irradiated)  
 defect clusters, 236
- Rhenium-alloy tubing  
 fabrication, 60-61, 124-25, 196-97
- Rhenium alloys  
 properties, 52
- Rhenium alloys ( $\text{Cr-Co-Re}$ )  
 workability, 237
- Rhenium alloys ( $\text{Cr-Re}$ )  
 oxidation, 95-96
- Rhenium alloys ( $\text{Mo-Re}$ )  
 corrosion, 103
- Rhenium alloys ( $\text{Mo-Re-W}$ )  
 creep properties, 183-84  
 development, 179  
 ductility, 52  
 mechanical properties, 242  
 physical properties, 242  
 powder metallurgy, 124
- Rhenium alloys ( $\text{Nb-Re}$ )  
 H solubility in, 111
- Rhenium alloys ( $\text{Nb-Re-Zr}$ )  
 oxidation and scale formation, 95
- Rhenium alloys ( $\text{Re-Ta}$ )  
 H solubility in, 111
- Rhenium alloys ( $\text{Re-W}$ )  
 corrosion, 101  
 deposition, 126-27, 198, 260  
 diffusion, 54  
 ductility,  $\text{ThO}_2$ -dispersion effects on, 52  
 emissivity, 110  
 evaluation for ionizer applications, 259  
 fractographic studies, 52  
 mechanical properties, 242  
 physical properties, 242  
 powder metallurgy, 124, 197  
 reactions with UC, 145  
 reactions with UC-ZrC system, 145  
 thermal conductivity, 110
- Rhenium alloys ( $\text{Re-U}$ )  
 structure and transformation, 204
- Rhenium braze alloys ( $\text{Mo-Re-Ru}$ )  
 patent for, 199
- Rhenium foil  
 preparation, 196
- Rhenium systems ( $\text{C-Cr-Re}$ )  
 phase studies, 52
- Rhodium  
 reaction with UC, 209
- Rhodium-alloy coatings ( $\text{Ir-Rh}$ )  
 for Ta alloys, 161-62

- Rhodium alloys (Ir-Rh)  
oxidation, 160
- Rhodium alloys (Rh-U)  
ignition, 15
- Rubidium  
corrosive effects, 230
- Rubidium hydride  
heat of formation, 221
- Ruthenium alloys (Nb-Ru)  
phase studies and structure, 239
- Ruthenium alloys (Ru-U)  
ignition, 15
- Ruthenium braze alloys (Mo-Re-Ru)  
patent for, 199
- Rutile  
electrical conductivity, 189
- S
- S-1  
corrosion, 228
- S-291  
corrosion, 101
- S8DR  
fuel, H/Zr-ratio effect on thermal conductivity of, 221
- Salts (fused fluoride)  
corrosive effects, 103-4
- Samarium  
oxidation, 27
- Samarium sesquioxide mixtures ( $\text{Sm}_2\text{O}_3$ - $\text{UO}_2$ )  
impaction, 127-28
- Samarium sesquioxide systems ( $\text{Cr}_2\text{O}_3$ - $\text{Sm}_2\text{O}_3$ )  
phase studies, 252
- Santowax OM  
corrosive effects, 230
- SAP  
(see Aluminum alloys (SAP))
- Sapphire single crystals  
strengthening with Ti, 252
- Saxton Reactor  
reactivity, crud effects on, 159
- Scandium  
diffusion in Ti, 179
- Scandium monocarbide solid solutions ( $\text{ScC-TiC-WC}$ )  
formation, 249
- Scandium silicide  
oxidation, 188
- SCb-291  
properties, 240
- Silicide coatings, 28, 161-62
- Silicon  
solubility in Pu carbide, 73
- Silicon carbide (irradiated)  
lattice damage, 187
- Silicon coatings  
deposition of, 63
- Silicon dioxide  
self-diffusion in, 54
- Silicon monocarbide  
compatibility with Pu carbide, 72-73  
reactions in liquid media, 116
- Silicon monocarbide coatings  
deposition on fuel particles, 142
- Silicon monocarbide systems ( $\text{B}_4\text{C-SiC-TiC}$ )  
properties, high-temperature, 187
- Silicon nitride whiskers  
metallizing of, 62
- Silicon systems (Al-Ge-Si-Ag)  
use for brazing, 262
- Silicon systems (Al-Ge-Si-Zn)  
use for brazing, 262
- Silicon systems (C-Si-U)  
phase studies, 144
- Silicon systems (Cr-Fe-Si-Ti-V)  
fused-slurry coatings developed from, 161
- Silicon systems (Co-Mo-Si)  
phase studies, 242
- Silicon systems (Fe-Mo-Si)  
phase studies, 242
- Silicon systems (Fe-Si-U)  
phase studies, 69
- Silicon systems (Nb-Si)  
hot hardness, 184  
mechanical properties, 240
- Silicon systems (Si-U)  
ignition, 15
- Silicon systems (Si-Zr)  
use for brazing, 263
- Silver  
diffusion in Ti, 179
- Silver alloys (Ag-U)  
ignition, 15
- Silver alloys (Cd-In-Ag)(Ni plated)  
(irradiated)  
oxidation and tensile properties, 24
- Silver alloys (Cd-In-Ag)(stainless-steel clad)  
fabrication, 24
- Silver composites (Ag-W)  
corrosion, 161
- Silver systems (Al-Ge-Si-Ag)  
use for brazing, 262
- Sintering, 259  
162-65, 228-30
- Sodium  
corrosive effects, 28-29, 32, 96-102,  
162-65, 228-30
- Sodium alloys (Bi-Na)(molten)  
corrosive effects, 103
- Sodium alloys (NaK)  
corrosive effects, 32
- Sodium deuteride  
heat of formation, 221
- Sodium hydride  
heat of formation, 221
- Sodium pastes  
corrosive effects, 101-2
- Solids (irradiated)  
rare-gas diffusion in, 213
- Stainless steel  
B effects on, 246-47  
bonding, 262  
braze alloys for, 131  
carburation, 100  
casting of precipitation-hardenable, 122  
compatibility with  $\text{Eu}_2\text{O}_3$ , 222-23  
corrosion, 26-27, 96, 98, 100, 226  
crud deposition on, 159  
ductility, ultrasonic-vibration effects on, 121  
magnetic force welding, 262  
mass transfer, 98-99  
melting of precipitation-hardenable, 122  
metallurgy, 246-48  
 $\text{Ni}_3\text{Ti}$ -particle shape in precipitation-hardenable, 246  
stress-corrosion cracking, 26, 94  
structure, annealing effects on, 121  
Ti effects on, 246-47
- Stainless-steel (17-4 pH) couples  
(Al-stainless steel(17-4 pH))  
corrosion, 94
- Stainless steel (18-10)  
mechanical properties, C effects on, 112
- Stainless steel (20-25 Nb)  
grain growth, Y effects on, 177
- Stainless steel (36 NKHTYu)  
strength, Mo effects on, 46
- Stainless steel (300 series)  
sintering, 229-30
- Stainless steel (301)  
stress-corrosion cracking, 226
- Stainless steel (304)  
brazing, 263  
carbide-particle dispersion in, 246  
carburation, 28  
cavitation, 30  
compatibility with Pu carbide-U carbide system, 12, 207  
compatibility with UN, 12  
corrosion, 94-95, 101-2, 159-60, 162-63, 231-32  
creep properties, 112  
fatigue properties, 182  
interdiffusion with  $\text{U}_2\text{Ti}$ , 205  
mass transfer, 98-99  
mechanical properties, N effects on, 177  
mechanical properties, Na-exposure effects on, 99  
N solubility in, 109, 246  
oxide-film structure, 27  
rupture, 45  
sensitization, 100  
stress-corrosion cracking, 159, 226  
tensile properties, 244, 248  
ultrasonic testing, 264
- Stainless steel (304)(irradiated)  
damage in, adjacent to  $\text{UO}_2$ , 171  
mechanical properties, 35-36, 170
- Stainless-steel (304) brazed joints  
nondestructive testing, 264
- Stainless-steel (304) couples (Al-stainless steel(304))  
corrosion, 94
- Stainless-steel (304) couples (Be-stainless steel(304))  
stress-corrosion cracking, 94
- Stainless-steel (304) dispersions (stainless steel (304)- $\text{UO}_2$ )  
mechanical properties, 9
- Stainless-steel (304) piping  
stress-corrosion cracking, 159
- Stainless-steel (304) tubing  
burst testing, 181  
tensile properties, 244
- Stainless-steel (304) tubing (irradiated)  
mechanical properties, 171
- Stainless steel 304L  
compatibility with Mo-Pu-U alloys, 6
- Stainless steel (304L)(irradiated)  
tensile properties, annealing effects on, 104
- Stainless steel (310)  
mass transfer, 98-99  
stress-corrosion cracking, 226
- Stainless-steel (310) reduction vessels  
cracking, 123
- Stainless steel (316)  
carburation, 28  
cavitation, 30  
compatibility with K, 29  
corrosion, 28, 103, 162-65, 228  
creep properties, 112  
mass transfer, 98-99  
reaction with In, 230  
rupture, 45  
stress-corrosion cracking, 226
- Stainless steel (316)(irradiated)  
ductility, 34  
mechanical properties, 171
- Stainless-steel (316) weld joints  
aging effects, 129
- Stainless steel (316L)(irradiated)  
bubble formation, 104-5
- Stainless steel (318)  
creep properties, 112-13
- Stainless steel (321)  
corrosion, 163  
explosive bonding, 64  
stress-corrosion cracking, 226



- Stainless steel (330)  
mass transfer, 98-99
- Stainless steel (347)  
explosive bonding, 64  
mass transfer, 98-99  
stress-corrosion cracking, 159
- Stainless-steel (347) reduction vessels  
performance, 123
- Stainless steel (348)  
fatigue properties of annealed, 246
- Stainless steel (348)(irradiated)  
defect clusters and mechanical properties, 174
- Stainless steel (400 series)  
sintering, 229-30
- Stainless steel (406)  
corrosion, 226
- Stainless steel (410)  
corrosion, 163
- Stainless steel (416)  
corrosion, 94  
hot-press bonding to Zircaloy-2, 197
- Stainless steel (420)  
stress-corrosion cracking, 94
- Stainless-steel (420) couples (Al-stainless steel(420))  
corrosion, 94
- Stainless steel (430)  
corrosion, 160  
mass transfer, 98-99
- Stainless steel (A-286)  
precipitation during aging, 176-77
- Stainless steel (austenitic)  
corrosion, 102  
hardness, Ti effects on, 176  
mechanical properties, C effects on, 112  
phase stability, Ti effects on, 46  
properties, 177
- Stainless steel (austenitic)(irradiated)  
bubble formation, 104-5  
ductility, 35  
tensile properties, 104
- Stainless steel (Cr)  
corrosion, 95
- Stainless steel (Cr-Fe-Ni)  
phase stability, Ti effects on, 46
- Stainless steel (Cr-Ni)  
corrosion, 95  
NbC solubility in, 246  
production, 246
- Stainless steel (Cr-Ni)(irradiated)  
bubble formation, 104-5
- Stainless steel (Cr-Ni-Nb)(irradiated)  
oxidation, 160
- Stainless steel (Cr-Ni-Nb-Y)  
corrosion, 226
- Stainless steel (F. V. 548)  
carbide precipitation, 246
- Stainless steel (irradiated)  
defect structures, 174  
ductility, 34-35, 104  
failure, 233  
tensile properties, 36-37
- Stainless steel (molten)  
reaction with water, 166
- Stainless-steel cermet pellets (stainless steel-UO<sub>2</sub>)  
fabrication, 74
- Stainless-steel cermet pellets (stainless steel-UO<sub>2</sub>)(irradiated)  
performance, 74
- Stainless-steel cermets (Eu<sub>2</sub>O<sub>3</sub>-stainless steel)  
corrosion, 25
- Stainless-steel cermets (Eu<sub>2</sub>O<sub>3</sub>-stainless steel-TiO<sub>2</sub>)  
corrosion, 25
- Stainless-steel cermets (stainless steel-UO<sub>2</sub>)  
magnetic force welding, 262
- Stainless-steel dispersions (Eu<sub>2</sub>O<sub>3</sub>-stainless steel)(irradiated)  
behavior and burnup of Eu, 222
- Stainless-steel dispersions (stainless steel-UO<sub>2</sub>)  
development, 9
- Stainless-steel dispersions (stainless steel-UO<sub>2</sub>)(irradiated)  
swelling, porosity effects on, 74
- Stainless-steel dispersions (stainless steel-UO<sub>2</sub>-ZrB<sub>2</sub>)(stainless-steel(347)clad)(irradiated)  
damage, 208-9
- Stainless-steel powder  
sintering, 197
- Stainless-steel tubing  
explosive sizing, 261  
thickness measurement using ultrasonics, 64
- Steel  
chromizing, 63  
cladding with Nb, 258  
corrosion, 100, 226, 230  
electroplating on, 260-61  
embrittlement, 46  
fatigue, 46  
fracture mechanics, 114  
fracture toughness, 45  
impact strength of welded joints, Al effects on, 46  
mass transfer, 99  
welding, 199-200
- Steel welds  
ultrasonic testing, 131
- Steel (212B)(irradiated)  
failure, catastrophic delayed, 40
- Steel (1020)  
corrosion, 103
- Steel (4340)  
drawing, vibration effects on, 124  
extrusion, lubricants for, 123
- Steel (A 105-II)(irradiated)  
mechanical properties, 235
- Steel (A-201B) pressure vessels  
testing, 182
- Steel (A-212B)(irradiated)  
annealing kinetics, 236  
axial fatigue properties, 169-70  
embrittlement, 105  
mechanical properties, 235  
yield-strength recovery, 234
- Steel (A-302B)  
fracture toughness, 180-81
- Steel (A-302B)(irradiated)  
embrittlement, 105, 234  
mechanical properties, 169, 235
- Steel (A-302B) pressure vessels  
testing, 182
- Steel (A-302YB)  
tempering, 245-46
- Steel (A-350 F1(modified))(irradiated)  
embrittlement, 105
- Steel (A-350 LF3)(irradiated)  
embrittlement, 105
- Steel (A-387D) pressure vessels  
testing, 182
- Steel (Al-Ni)  
welding, 199
- Steel (AMS 6435)  
welding, 199
- Steel (austenitic)  
corrosion, 96, 98, 102  
development of high-strength, 109  
fretting, 100  
hardening by precipitation, 177
- Steel (carbon)  
cavitation, 30  
corrosion, 95, 102
- Steel (carbon)(irradiated)  
corrosion, 226
- electrical resistivity, 106  
embrittlement, 105
- Steel (carbon) tubing  
corrosion, 159
- Steel (Cr)  
corrosion, 96, 98  
decarburization, 98
- Steel (Cr-Co-Mo-Ni)  
welding, 199
- Steel (Cr-Mo)  
mechanical properties, Na effects on, 28
- Steel (Cr-Mo-Ni)  
embrittlement of welded joints, 46
- Steel (Cr-Ni)  
sigma-phase precipitation, (Fe,Cr), 109
- Steel (Cr-Ni-Si)  
corrosion, 96, 98
- Steel (Croloy 2 .4)  
corrosion, 162-63
- Steel (D-6ac)  
welding, 199
- Steel (ferritic)  
corrosion, 96, 98, 100, 162  
development, 100  
mechanical properties, Na effects on, 28
- Steel (Fortiweld)(irradiated)  
transition temperature, B effects on, 235
- Steel (high alloy)  
development of high-strength, 109
- Steel (high strength)  
development, 109  
welding, 64, 199
- Steel (HP-9-4-20)  
welding, 199
- Steel (HP-9-4-25)  
welding, 199
- Steel (HY-80)(irradiated)  
embrittlement, 105
- Steel (HY-180/210)  
welding, 199
- Steel (low alloy)  
corrosion, 95  
decarburization, 98  
development, 109  
improvements, 46  
precipitation strengthening, 245  
welding, 199
- Steel (low alloy)(irradiated)  
embrittlement, 105  
fatigue properties, 105  
tensile properties, 40
- Steel (low carbon)  
compatibility with Bi-Pb alloy, 30  
corrosion, 103  
impact strength, U effects on, 46  
Zr solubility on, 46
- Steel (low carbon)(irradiated)  
fatigue properties, 105
- Steel (low carbon) tubes  
failure, 46
- Steel (Mn)(irradiated)  
fatigue properties, 105
- Steel (Mn-Mo)  
notch toughness, 46
- Steel (maraging)  
fracture toughness, 45
- Steel (martensitic)  
welding, 199
- Steel (mild)  
corrosion, 27  
hot-press bonding to Al, 197
- Steel (mild)(irradiated)  
damage, 42
- Steel (Ni)  
welding, 199-200
- Steel (Nb stabilized)  
decarburization, 98
- Steel (pressure vessel)  
metallurgy, 245-46



- Steel (pressure vessel)(irradiated)  
properties, 234-36
- Steel (SA-192) tubing  
corrosion, 159
- Steel (SA-212B)(irradiated)  
fatigue properties, 105
- Steel (SA-302B)(irradiated)  
fatigue properties, 105
- Steel (SI-killed carbon)(irradiated)  
annealing kinetics, 236
- Steel (T-1) pressure vessels  
testing, 182
- Steel (Ti stabilized)  
decarburization, 98
- Steel (tool)  
corrosion, 229
- Steel (Vascojet X2)  
welding, 199
- Steel joints  
hot pressing, 260
- Stellite-3  
corrosion, 229
- Stellite 6B  
corrosion, 164, 229
- Structural materials, 26-58, 93-120, 158-93,  
225-56
- Superalloys  
deformation, 111
- Sylcor Sn-Al coatings  
for Nb-Zr alloys, 162
- Sylvania A  
creep-rupture properties, 43
- T
- T-111  
annealing, 178  
cavitation, 30  
corrosion, 100-1  
tensile properties, aging effects on, 240  
welding, 130
- T-222  
cavitation, 30  
coatings for, 162  
corrosion, 101, 164  
creep-rupture properties, 42-43  
tensile properties, aging effects on, 240
- T-222 (disilicide coated)  
oxidation, 28
- T-222 sheets  
explosive bonding, 64
- Tantalum  
ablation, 161  
absorption of O and water, 227  
brazing, 263  
coating, 198-99  
compatibility with Li, 30  
corrosion, 27, 31, 100-3  
diffusion, 54  
extrusion, 125  
hydriding, destructive, 29  
H solubility in, 110-11  
interdiffusion with Ir, 180  
magnetic force welding, 262  
oxidation, 95, 160-61, 227  
reaction with N, 227  
solubility in molten Pu, 4, 205  
strain aging, effect of stress on, 111-12  
Ta<sub>2</sub>O<sub>5</sub>-scale formation on, 227
- Tantalum (coated)  
oxidation, 96, 228
- Tantalum (irradiated)  
hardness, 173
- Tantalum-alloy coatings (Hf-Ta)  
for Ta-W alloys, 228
- Tantalum-alloy sheets (Nb-Ta)  
explosive bonding, 64
- Tantalum alloys  
(see FS-60, T-111, and T-222)  
age-hardenable, 111  
coating, 27-28, 161-62, 198-99, 227  
fabricability, 49-50  
grain growth, Y and rare-earth effects  
on, 178  
mechanical properties, 49, 242  
physical properties, 242  
tensile properties, aging effects on, 239-40
- Tantalum alloys (Cr-Ta)  
creep properties, N effects on, 183
- Tantalum alloys (Hf-Mo-Ta)  
oxidation, 222
- Tantalum alloys (Hf-Ta)  
hardness, oxidation, and phase studies,  
222
- Tantalum alloys (Hf-Ta coated)  
oxidation, 227
- Tantalum alloys (Hf-Ta-W)  
thermal conductivity, 110
- Tantalum alloys (Hf-Ta-Zr)  
oxidation, 222
- Tantalum alloys (Mo-Nb-Ta-W)  
creep mechanism, 50-51
- Tantalum alloys (Mo-Ta-V)  
phase studies, 243
- Tantalum alloys (Nb-Ta)  
properties and structure, 238-39
- Tantalum alloys (Nb-Ta-V)  
mechanical properties, 242  
phase studies, 243  
physical properties, 242  
strength, 43
- Tantalum alloys (Re-Ta)  
H solubility in, 111
- Tantalum alloys (Ta-W)  
brazing, 263  
coatings for, 162, 227-28  
corrosion, 31  
fabricability, 50  
mechanical properties, 242  
physical properties, 242  
strength, 50  
weldability, 50
- Tantalum alloys (Ta-W)(coated)  
oxidation, 27, 228
- Tantalum alloys (Ta-U)  
ignition, 15
- Tantalum alloys (Ta-V)  
solid-state transformations, 243
- Tantalum braze alloys (Ta-Ti-V)  
patent for, 199
- Tantalum carbide  
C diffusion in, 179  
reaction with Re, 251  
stoichiometry, 186
- Tantalum composites (graphite-Ta)  
hot pressing, 20
- Tantalum composites (Ta-W-Zr)  
strength, 183
- Tantalum diboride  
thermal expansion, 223
- Tantalum diboride systems (Cr-TaB<sub>2</sub>-ZrB<sub>2</sub>)  
fabrication and properties, 252
- Tantalum dioxide  
formation, 227
- Tantalum monocarbide  
deformation, 116  
elastic properties, 115  
electrical resistance, 115, 251  
oxidation, Cu and Ag effects on, 252  
thermal properties, 251-52
- Tantalum monocarbide (irradiated)  
behavior, 187-88
- Tantalum monocarbide castings  
hot hardness, 59, 250  
oxidation, 59
- Tantalum monocarbide single crystals  
growth parameters, 59
- Tantalum monocarbide-system castings  
(C-TaC)  
hardness and stress relieving, 186
- Tantalum monocarbide systems (C-TaC)  
eutectic temperature, 186  
melting and casting, 257  
properties, 257
- Tantalum monocarbide systems (Co-TaC-WC)  
properties and structure, 186
- Tantalum monocarbide systems (HfC-TaC)  
fusion point, 250-51  
Hall constant, 250  
resistivity, 250
- Tantalum monocarbide systems (TaC-ZrC)  
fusion point, 250-51
- Tantalum monoxide  
formation, 227
- Tantalum oxide  
composition, 227  
evaporation of volatile, 227  
structure, 227
- Tantalum oxide (Ta<sub>2</sub>O<sub>5</sub>)  
scale formation on Ta, 227
- Tantalum single crystals  
oxidation, 95
- Tantalum systems (C-Hf-Ta)  
phase studies, 51
- Tantalum tubing  
fabrication, 196
- TD-50  
use for brazing, 263
- Terbium  
oxidation, 27
- Terbium oxide  
self-diffusion in, 54
- Terphenyls  
corrosive effects, 93, 230
- Testing (nondestructive), 64-65, 131-32,  
200, 264
- Thermal-wave transducers  
use in nondestructive testing, 200
- Thorium  
compatibility studies, 74, 180  
diffusion in, 208  
heat content, 8  
heat of fusion, 8  
heat of phase transformation, 8  
thermal conductivity, 74  
utilization, 8
- Thorium (molten)  
heat content, 8
- Thorium-alloy particles (Th-U)(coated)  
use at high temperatures, 142-43
- Thorium alloys (Be-Th)  
hot hardness, 8
- Thorium alloys (Pu-Th-U)  
liquidus surface and phase studies, 8
- Thorium alloys (Pu-Th-U)(irradiated)  
burnup, 8
- Thorium alloys (Pu-Th-U)(Ti-V alloy clad)  
(irradiated)  
behavior, 205
- Thorium alloys (Th-U)(irradiated)  
annealing effects on, 8
- Thorium alloys (Th-U)(Ti-V alloy clad)  
(irradiated)  
behavior, 205
- Thorium alloys (Th-U-Zr)(Zircaloy-2 clad)  
(irradiated)  
behavior, 141, 208
- Thorium alloys (Th-Zr)  
hot hardness, 8
- Thorium boride  
thermal expansion, 146
- Thorium carbide  
thermal expansion, 146

- Thorium carbide-system fuel particles  
(Th carbide-U carbide)(PyC coated)  
(irradiated)  
performance, 143
- Thorium composites (graphite-Th)  
hot pressing, 20
- Thorium compounds (refractory)  
thermal expansion, 146
- Thorium dicarbide particles (PyC coated)  
(irradiated)  
performance, 143
- Thorium dicarbide-system particles (ThC<sub>2</sub>-  
UC<sub>2</sub>)(PyC coated)  
use at high temperatures, 142
- Thorium dicarbide-system particles  
(ThC<sub>2</sub>-UC<sub>2</sub>)(PyC coated)(irradiated)  
stability, 10-11
- Thorium dioxide  
corrosion, 31  
extrusion, 209  
thermal conductivity, 143  
thermal expansion, 146  
thermodynamic data, 75-76
- Thorium dioxide (irradiated)  
rare-gas behavior in, 213
- Thorium dioxide coatings  
for Ta-W alloys and W, 227-28
- Thorium dioxide composites (ThO<sub>2</sub>-W)  
corrosion, 161
- Thorium dioxide-dispersion sheet (Ni-ThO<sub>2</sub>)  
cold rolling and annealing, 177
- Thorium dioxide microspheres  
preparation, 12
- Thorium dioxide mixtures (PuO<sub>2</sub>-ThO<sub>2</sub>)  
preparation, 7
- Thorium dioxide mixtures (ThO<sub>2</sub>-UO<sub>2</sub>)  
impaction, 127-28
- Thorium dioxide particles (PyC coated)  
(irradiated)  
performance, 143
- Thorium dioxide pellets  
fabrication, 12
- Thorium dioxide powder  
sintering, TiO<sub>2</sub>-addition effects on, 144
- Thorium dioxide-system particles (ThO<sub>2</sub>-  
UO<sub>2</sub>)(PyC coated)(irradiated)  
stability, 10-11
- Thorium dioxide systems (O<sub>2</sub>-ThO<sub>2</sub>-UO<sub>2</sub>)  
thermal conductivity, 143
- Thorium dioxide systems (ThO<sub>2</sub>-W)  
creep-rupture properties, 43  
tensile properties, 44
- Thorium dioxide systems (ThO<sub>2</sub>-UO<sub>2</sub>)  
compatibility with Th, 74  
thermal conductivity, 11-12, 143
- Thorium dioxide tubes  
fabrication by slip casting, 144
- Thorium monocarbide  
reaction with Au, 209
- Thorium monocarbide-mixture powders  
sintering, 211
- Thorium monocarbide systems (ThC-UC)  
compatibility with Th, 74
- Thorium mononitride  
thermal expansion, 146
- Thorium mononitride-mixture powders  
sintering, 211
- Thorium monosulfide  
thermal expansion, 146
- Thorium phosphide  
thermal expansion, 146
- Thorium systems (C-Th)  
phase studies, 8, 74  
properties, 209-10
- Thorium tetrafluoride systems (BeF<sub>2</sub>-LiF-  
ThF<sub>4</sub>-UF<sub>4</sub>-ZrF<sub>4</sub>)(molten)  
corrosive effects, 103
- Thornel composites (Co-Thornel)  
fabrication by hot isostatic pressing, 198
- Thulium  
oxidation, 27  
solubility in molten Pu, 139
- Tin alloys (Al-Mo-Sn-Zr)  
corrosion, 229
- Tin alloys (Al-Sn-Ti)  
reaction with H, 221
- Tin alloys (Bi-Ni-Sn)  
wear, 225
- Tin alloys (Cr-Fe-Nb-Sn-Zr)  
corrosion, 225
- Tin alloys (Fe-Ni-Nb-Sn-Zr)  
hydriding, 230
- Tin alloys (Nb-Sn-Zr)  
corrosion, 93, 225
- Tin composites (Al-Sn-W)  
corrosion, 161
- Titanium  
bonding, 262  
compatibility with metals, 180  
corrosion, 95, 100  
diffusion in Ti-V alloys, 179  
explosive spot welding, 64  
melting, 60, 194  
reaction with H, 220-21  
Sc diffusion in, 179  
Ag diffusion in, 179  
stress-corrosion cracking, 95  
U diffusion in, 135
- Titanium-alloy sheet (Cr-Ti-V)  
tensile properties, 243-44
- Titanium-alloy sheet (Ti-V)  
tensile properties, 243-44
- Titanium-alloy tubing (Cr-Ti-V)  
burst testing, 181-82  
fabrication, 196, 257  
tensile properties, 244
- Titanium-alloy tubing (Ti-V)  
drawing, 122-23
- Titanium alloys  
corrosion, 95  
fracture toughness, 45  
stress-corrosion cracking, 95
- Titanium alloys (Al-Cr-Ni-Ti)  
crystal structure, W effects on, 177
- Titanium alloys (Al-Nb-Ti)  
mechanical properties, 113
- Titanium alloys (Al-Sn-Ti)  
reaction with H, 221
- Titanium alloys (Al-Ti-V)  
drawing, vibration effects on, 124  
reaction with H, 220-21  
strength, 43
- Titanium alloys (Be-Ti)  
phase studies, 21
- Titanium alloys (Cr-Ti-V)  
compatibility with PuC-UC mixtures, 73  
corrosion, 163, 228  
tensile properties, 114
- Titanium alloys (Cr-Ti-V)(irradiated)  
tensile properties, 234
- Titanium alloys (Hf-Nb-Ti-W)  
mechanical properties and oxidation, 49
- Titanium alloys (Fe-Ti)  
tensile properties, 248
- Titanium alloys (Mo-Nb-Ti-U-Zr)  
tensile properties, 137
- Titanium alloys (Mo-Ti)  
aging, 111  
cavitation, 30  
extrusion, lubricants for, 123  
recrystallization temperature, 241  
rupture strength, 241
- Titanium alloys (Mo-Ti-Zr)  
corrosion, 161  
phase studies, 111
- Titanium alloys (Nb-Ti)  
corrosion, 101  
elastic properties, 238
- Titanium alloys (Nb-Ti-V)  
strength, 43
- Titanium alloys (Nb-Ti-Zr)  
corrosion, 164
- Titanium alloys (Pu-Ti-U)  
phase studies, 5  
properties, 138  
solid-state reactions, 5  
thermal conductivity, 5  
thermal properties, 72
- Titanium alloys (Pu-Ti-U)(Ti-V-alloy clad)  
(irradiated)  
behavior, 138-39
- Titanium alloys (Ti-W-Zr)  
phase studies, 243
- Titanium alloys (Ti-U)  
ignition, 15
- Titanium alloys (Ti-V)  
corrosion, 99, 163-64, 228  
mechanical properties, Na-exposure  
effects on, 99  
production, 122  
Ti diffusion in, 179  
V diffusion in, 179
- Titanium alloys (Ti-V)(irradiated)  
tensile properties, 41, 234
- Titanium braze alloys (Ta-Ti-V)  
patent for, 199
- Titanium carbide  
oxidation, 229  
reactions in liquid media, 116-17  
stoichiometry, 186  
Young's modulus, 115
- Titanium composites  
hot pressing, 20, 198
- Titanium diboride  
reactions in liquid media, 116-17  
thermal expansion, 223
- Titanium dioxide  
reaction with TiC, 251-52
- Titanium dioxide cermets (Eu<sub>2</sub>O<sub>3</sub>-stainless  
steel-TiO<sub>2</sub>)  
corrosion, 25
- Titanium dioxide mixtures (Eu<sub>2</sub>O<sub>3</sub>-TiO<sub>2</sub>)  
corrosion, 25
- Titanium hydride  
lattice parameters, 157
- Titanium hydride (irradiated)  
strength, 89
- Titanium hydride systems (Ti hydride-V)  
production, 69
- Titanium intermetallic compounds (U<sub>2</sub>Ti)  
interdiffusion with stainless steel (304),  
205
- Titanium monocarbide  
elastic properties, 115  
reactions in liquid media, 116  
reaction with TiO<sub>2</sub>, 251-52
- Titanium monocarbide (irradiated)  
behavior, 187-88
- Titanium monocarbide castings  
hot hardness, 250  
oxidation, 250-51
- Titanium monocarbide solid solutions (ScC-  
TiC-WC)  
formation, 249
- Titanium monocarbide systems (B<sub>4</sub>C-  
SiC-TiC)  
properties, high-temperature, 187
- Titanium monocarbide systems (C-TiC)  
strength, 187
- Titanium monocarbide systems (Co-TiC-WC)  
properties, C effects on, 249  
strength, 187
- Titanium monocarbide systems (TiC-WC)  
properties, Cr<sub>2</sub>C<sub>3</sub>-addition effects on, 115
- Titanium nitride  
reactions in liquid media, 116-17

- Titanium oxide
  - self-diffusion in, 54
- Titanium solid solutions (Nb-Ti-V)
  - oxidation, 95
- Titanium systems (Al-C-Cr-Co-Ni-Ti)
  - sigma-phase formation, 248
- Titanium systems (C-Nb-Ti)
  - phase studies, 51
- Titanium systems (C-Ti-U)
  - phase relations, PuC-addition effects on, 77
- Titanium systems (Cr-Fe-Si-Ti-V)
  - fused-slurry coatings developed from, 161
- Transducers (thermal wave)
  - use in nondestructive testing, 200
- Transition-metal carbides
  - elastic properties, 115
  - reactions with oxides, 251-52
- Transition-metal diborides
  - thermal conductivity, 222
- Transition-metal oxides
  - reactions with carbides, 251-52
- Transition metals
  - conductivity, electrical and thermal, 222
- Tubing
  - eddy-current testing, 65, 132
  - fabrication, 124-25, 196
- Tungsten
  - brazing, 199, 263
  - C solubility in, 241
  - corrosion, 31, 103, 161, 229
  - creep-rupture properties, 43
  - deposition, 126-27, 198, 260
  - diffusion, 54
  - diffusion bonding, 180, 260
  - electron-beam melting, 194
  - extrusion, lubricants for, 123
  - fractographic studies, 52
  - Gd solubility in, 91
  - grain refinement, additive effects on, 121
  - HfO<sub>2</sub> coatings for, 227-28
  - magnetic force welding, 262
  - mechanical properties, 53, 111, 178-79, 242
  - metallurgy, 242-43
  - oxidation, 96, 161, 226-27
  - permeability of sintered, 197
  - properties of vapor-deposited, 195
  - reaction with UC, 145
  - reactions with UC-ZrC system, 145
  - recrystallization, annealing effects on, 111
  - self-diffusion in, 180
  - solubility in molten Pu, 4, 205
  - surface diffusion in, 180
  - tensile properties, 44
  - thermal conductivity, 242
  - ThO<sub>2</sub> coatings for, 227-28
  - volatilization, 227
  - Young's modulus, 115
  - zone melting, 194
- Tungsten (Durak B coated)
  - corrosion, 161
- Tungsten (fluoride coated)
  - oxidation, 96
- Tungsten (Hf-Ir-Ta coated)
  - oxidation, 227
- Tungsten (irradiated)
  - dislocation loops, 174
  - electrical conductivity, 173
- Tungsten (thoriated)
  - magnetic force welding, 262
- Tungsten (ZrB<sub>2</sub> coated)
  - corrosion, 161
- Tungsten-alloy tubing
  - fabrication, 60-61, 124-25, 196-97
- Tungsten alloys
  - compatibility with LiH, 221
  - creep-rupture properties, 43
  - deposition, 126, 198-99
  - development, 52
  - extrusion, lubricants for, 123
  - fabrication, 52
  - preparation, 52
- Tungsten alloys (Cr-W)
  - decomposition, 111
- Tungsten alloys (Cr-W-Y)
  - tensile properties, 237
- Tungsten alloys (Hf-Nb-Ti-W)
  - mechanical properties and oxidation, 49
- Tungsten alloys (Hf-Ta-W)
  - thermal conductivity, 110
- Tungsten alloys (Ir-W)
  - powder metallurgy, 197
- Tungsten alloys (Fe-Ni-W)
  - fabricability, 52
- Tungsten alloys (Mo-Nb-Ta-W)
  - creep properties, 50-51
- Tungsten alloys (Mo-Re-W)
  - creep properties, 183-84
  - development, 179
  - ductility, 52
  - mechanical properties, 242
  - physical properties, 242
  - powder metallurgy, 124
- Tungsten alloys (Mo-W)
  - corrosion, 103
  - diffusion studies, 54
  - preparation by vapor deposition, 198
- Tungsten alloys (Nb-W)
  - diffusion in, 180
  - oxidation, 161
  - thermal conductivity, 110, 178
- Tungsten alloys (Nb-W-Zr)
  - Be-induced second phase, annealing effects on, 111
- Tungsten alloys (Re-W)
  - corrosion, 101
  - deposition, 126-27, 198, 260
  - diffusion, 54
  - ductility, ThO<sub>2</sub>-dispersion effects on, 52
  - emissivity, 110
  - evaluation for ionizer applications, 259
  - fractographic studies, 52
  - mechanical properties, 242
  - physical properties, 242
  - powder metallurgy, 124, 197
  - reactions with UC, 145
  - reactions with UC-ZrC system, 145
  - thermal conductivity, 110
- Tungsten alloys (Ta-W)
  - brazing, 263
  - coatings for, 162, 227-28
  - corrosion, 31
  - fabricability, 50
  - mechanical properties, 242
  - physical properties, 242
  - strength, 50
  - weldability, 50
- Tungsten alloys (Ta-W)(coated)
  - oxidation, 27, 228
- Tungsten alloys (TCD)
  - creep-rupture properties, 43
- Tungsten alloys (Ti-W-Zr)
  - phase studies, 243
- Tungsten billets
  - evaluation for forging, 60
- Tungsten carbide-powder mixtures (Co-W carbide)
  - compacting and sintering, 61
- Tungsten cermets (W-UO<sub>2</sub>)
  - magnetic force welding, 262
- Tungsten cladding
  - deposition on U-Zr carbides, 63
- Tungsten coatings
  - deposition of, 63
- Tungsten composites
  - corrosion, 161
  - extrusion of fibered, 111
  - strength, 183
- Tungsten dioxide
  - volatilization, 227
- Tungsten dispersions
  - stability, 43-44
  - strength, 183
- Tungsten honeycomb (W-UO<sub>2</sub>)
  - fabrication, 127
- Tungsten ingots
  - preparation, 242
- Tungsten monocarbide
  - corrosion, 229
  - preparation, 115
  - properties, 115
- Tungsten monocarbide (irradiated)
  - behavior, 187-88
- Tungsten monocarbide solid solutions (ScC-TiC-WC)
  - formation, 249
- Tungsten monocarbide solid solutions (ScC-WC)
  - formation, 249
- Tungsten monocarbide systems (Co-TaC-WC)
  - properties and structure, 186
- Tungsten monocarbide systems (Co-TiC-WC)
  - properties, C effects on, 249
  - strength, 187
- Tungsten monocarbide systems (Co-WC)
  - macro stresses in, 249
  - properties of sintered, 115
  - strength, 187
- Tungsten monocarbide systems (TiC-WC)
  - properties, Cr<sub>2</sub>C<sub>3</sub>-addition effects on, 115
- Tungsten oxide (W<sub>18</sub>O<sub>49</sub>)
  - volatilization, 227
- Tungsten powder
  - consolidation, 125, 259
- Tungsten sheet
  - fabrication, 258-59
  - grains in, 242-43
  - joining by vapor deposition, 198
  - mechanical properties, 114
  - preparation, 242
  - properties, 183
- Tungsten single-crystal sheet
  - fabrication, 60
- Tungsten single crystals
  - ductile-brittle transition, 44-45
  - mechanical properties, impurity effects on, 51-52
- Tungsten systems
  - (see Sylvania A)
- Tungsten systems (C-Hf-W)
  - fabrication and preparation, 52
- Tungsten systems (C-Mo-W-Y)
  - corrosion, 161
- Tungsten systems (C-Nb-W)
  - fabrication and preparation, 52
- Tungsten systems (C-W-Zr)
  - fabrication and preparation, 52
- Tungsten systems (LaB<sub>6</sub>-W)
  - phase studies and physical properties, 243
- Tungsten systems (ThO<sub>2</sub>-W)
  - creep-rupture properties, 43
  - tensile properties, 44
- Tungsten trioxide
  - volatilization, 227
- Tungsten tubing
  - fabrication, 60-61, 124, 196-97
  - production by vapor deposition, 198
- Tungsten wire
  - stress-rupture properties, 114
- TZC
  - fatigue, 42
- TZM
  - corrosion, 101, 164
  - fatigue, 42

pack-cementation-coating processes  
for, 198  
TZM sheet  
mechanical properties, 114  
properties, 183

## U

Udimet 500  
mechanical properties, 47  
Ultrasonic testing, 64, 131, 200, 264  
UMCO-51  
corrosion, 228  
Uranium  
arc melting, 257  
compatibility with metals, 180  
compressive behavior, 135  
creep properties, 1, 69  
density, heat-treatment effects on, 2  
development review, 71  
diffusion in metals, 135  
diffusion in Th, 208  
diffusion in  $UO_2$ , 73, 76  
electrodeposition, 63, 127  
electroplating Ni on, 261  
electropolishing, 199, 203  
extrusion, 203  
flow, grain-size effects on, 2  
fracture stress, grain-size effects on, 2  
heat capacity, 135  
ignition, 15  
inclusions in, identification of, 1, 69  
interdiffusion with Be, 1  
interdiffusion with Cu, 203  
metallography, electron, 69  
microstructure, 1  
oxidation, 15, 69, 203  
phase transformation, 1-2, 135  
pitting, 2  
plastic deformation, 2  
production, 135  
reaction with steam, 14  
reaction with water, 14-15, 78-79  
texture, 135  
Wiedeman-Franz ratio, 135  
zone refining, 135  
Uranium (adjusted)  
density, heat-treatment effects on, 2  
hot hardness, 69  
phase transformation, 69, 71  
thermal conductivity, 2  
Uranium (enriched)(irradiated)  
swelling, 1-2  
Uranium (irradiated)  
cracking, grain-boundary, 1  
creep, 69  
fission-gas bubbles in, 148  
growth, 69  
properties, 15-16  
reaction with water, 78  
swelling, 3-4, 136-37, 212  
U-atom emission, 80  
Uranium (molten)  
corrosive effects, 31, 166  
penetration of Armco Fe by, 135  
reaction with water, 14  
Uranium (molten)(irradiated)  
radioiodine release, 212  
Uranium-alloy particles (Th-U)(coated)  
use at high temperatures, 142-43  
Uranium-alloy plates (Al-U)  
preparation of, containing Al-B<sub>4</sub>C-  
dispersion foils, 91  
Uranium-alloy plates (Al-U)(irradiated)  
performance of, containing Al-B<sub>4</sub>C-  
dispersion foils, 91

Uranium alloys  
(see also Uranium (adjusted))  
creep, microstructure effects on, 4  
development review, 71  
hot hardness of dilute, 203  
ignition, 15  
oxidation, 15, 69  
phase transformation, 71  
recrystallization of dilute, 203  
texture evaluation, 69  
Uranium alloys (Al-Fe-U)  
phase studies, 69  
Uranium alloys (Al-U)  
ignition, 15  
oxidation, 69  
production, 121, 137-38, 194  
Uranium alloys (Cr-U)  
ignition, 15  
pearlitic reaction, 4  
Uranium alloys (Co-Fe-U)  
phase studies, 71  
Uranium alloys (Fe-U)(molten)  
penetration of Armco Fe by, 135  
Uranium alloys (irradiated)  
swelling, 3-4, 136-37  
Uranium alloys (Mo-Nb-Ti-U-Zr)  
tensile properties, 137  
Uranium alloys (Mo-Pu-U)  
compatibility with stainless steel 304L  
and thermal expansion, 6  
Uranium alloys (Mo-U)  
brazing, 263  
ignition, 15  
structure, 4, 135  
Uranium alloys (Mo-U)(irradiated)  
properties, 16  
Uranium alloys (Nb-U)  
ignition, 15  
metastable phases, 204  
tensile properties, 71  
Uranium alloys (Nb-U-Zr)  
phase transformation, 71  
reaction with water, 15  
Uranium alloys (Nb-U-Zr)(Zircaloy-2  
clad)(irradiated)  
performance, 71  
Uranium alloys (Pu-Th-U)  
liquidus surface and phase studies, 8  
Uranium alloys (Pu-Th-U)(irradiated)  
burnup, 8  
Uranium alloys (Pu-Th-U)(Ti-V alloy clad)  
(irradiated)  
behavior, 205  
Uranium alloys (Pu-Ti-U)  
phase studies, 5  
properties, 138  
solid-state reactions, 5  
thermal conductivity, 5  
thermal properties, 72  
Uranium alloys (Pu-Ti-U)(Ti-V-alloy  
clad)(irradiated)  
behavior, 138-39  
Uranium alloys (Pu-U)  
development for fast breeder fuel, 5  
elastic modulus, 6  
thermal properties, 71  
Uranium alloys (Pu-U-Zr)  
phase studies, 205  
preparation, 205  
properties, 138  
thermal conductivity, 5  
Uranium alloys (Pu-U-Zr)(Ti-V-alloy clad)  
(irradiated)  
behavior, 138-39  
Uranium alloys (Re-U)  
structure and transformation, 204  
Uranium alloys (Th-U)(irradiated)  
annealing effects on, 8

Uranium alloys (Th-U)(Ti-V-alloy clad)  
(irradiated)  
behavior, 205  
Uranium alloys (Th-U-Zr)(Zircaloy-2 clad)  
(irradiated)  
behavior, 141, 208  
Uranium alloys (U-V)  
grain refinement and mechanical  
properties, 203-4  
Uranium alloys (U-Zr)  
ignition, 15  
structure, 4  
Uranium aluminide  
preparation, 121  
Uranium aluminide dispersions (Al-U  
aluminide)(irradiated)  
swelling, porosity effects on, 74  
Uranium billets  
production of coextrusion, 257  
Uranium carbide  
preparation, 59  
Young's modulus, 115  
Uranium carbide-mixture powders  
sintering, 211  
Uranium carbide pellets  
preparation from powder, 78  
Uranium carbide-system fuel particles  
(Th carbide-U carbide)(PyC coated)  
(irradiated)  
performance, 143  
Uranium carbide systems (Pu carbide-  
U carbide)  
compatibility with Fe alloys, 12  
compatibility with stainless steel (304),  
207  
preparation, 73  
Uranium carbide systems (Pu carbide-U  
carbide)(irradiated)  
behavior, 207  
Uranium carbide systems (U carbide-  
Zr carbide)  
cladding with W by vapor deposition, 63  
Uranium castings  
production, 195  
Uranium composites (graphite-U)  
hot pressing, 20  
Uranium crystals  
electrical resistivity and growth, 135  
Uranium crystals (irradiated)  
electrical resistivity, 135, 148  
Uranium diboride  
compatibility with Th, 74  
Uranium dicarbide  
energy of formation, 12-13  
thermal expansion, 13  
Uranium dicarbide particles  
corrosion by HCl, 10  
production of porous spherical, 211  
use at high temperatures, 142  
Uranium dicarbide particles (PyC coated)  
(irradiated)  
stability, 10-11  
Uranium dicarbide-system particles  
(ThC<sub>2</sub>-UC<sub>2</sub>)(PyC coated)  
use at high temperatures, 142  
Uranium dicarbide-system particles (ThC<sub>2</sub>-  
UC<sub>2</sub>)(PyC coated)(irradiated)  
stability, 10-11  
Uranium dioxide  
CeO<sub>2</sub> thermal diffusion in, 209  
extrusion, 209  
heat capacity, 11  
heat transfer, 75  
impaction, 127-28  
Pu diffusion in, 73  
reaction with steam, 147, 211  
self-diffusion in, 54  
thermal conductivity, 12, 75, 143



- thermodynamic data, 75-76
- U diffusion in, 73, 76
- Uranium dioxide (irradiated)
  - compatibility with Na, 29
  - fission-product behavior, 75, 149, 211-14
  - fission products in, of mass 140, 80
  - heat transfer, 75
  - inclusions in, microanalysis of, 214
  - knock-out for fission fragments, 75
  - porosity, 149
  - thermal conductivity, 75, 149
  - U-atom emission, 80, 143-44, 214
  - U self-diffusion in, metal-addition effects on, 149
- Uranium dioxide (molten)
  - reaction with water, 147
- Uranium dioxide (molten)(irradiated)
  - vaporization, 212
- Uranium dioxide (Nb coated)(irradiated)
  - swelling, 214
- Uranium dioxide (Nb-Zr-alloy clad)
  - corrosion, 31
- Uranium dioxide (refractory-material clad)
  - diffusion studies, 54
- Uranium dioxide (Zircaloy-2 clad)(molten)
  - reactions with water, 167
- Uranium dioxide-cermet pellets (stainless steel-UO<sub>2</sub>)
  - fabrication, 74
- Uranium dioxide-cermet pellets (stainless steel-UO<sub>2</sub>)(irradiated)
  - performance, 74
- Uranium dioxide cermets (stainless steel-UO<sub>2</sub>)
  - magnetic force welding, 262
- Uranium dioxide cermets (W-UO<sub>2</sub>)
  - magnetic force welding, 262
- Uranium dioxide coatings
  - vapor plating of, 63
- Uranium dioxide dispersions (Al-UO<sub>2</sub>) (irradiated)
  - swelling, 74, 214
- Uranium dioxide dispersions (Al-UO<sub>2</sub>-ZrO<sub>2</sub>)(Al clad)(irradiated)
  - stability, 9
- Uranium dioxide dispersions (BeO-UO<sub>2</sub>) (irradiated)
  - fission-product retention, 156
- Uranium dioxide dispersions (stainless steel-UO<sub>2</sub>)
  - development, 9
- Uranium dioxide dispersions (stainless steel-UO<sub>2</sub>)(irradiated)
  - swelling, porosity effects on, 74
- Uranium dioxide dispersions (stainless steel-UO<sub>2</sub>-ZrO<sub>2</sub>)(stainless-steel(347) clad)(irradiated)
  - damage, 208-9
- Uranium dioxide dispersions (stainless steel(304)-UO<sub>2</sub>)
  - mechanical properties, 9
- Uranium dioxide films (irradiated)
  - fission-fragment damage, 16-17
- Uranium dioxide honeycomb (W-UO<sub>2</sub>)
  - fabrication, 127
- Uranium dioxide microspheres
  - Pu pickup, 206
  - preparation, 12
- Uranium dioxide mixtures (PuO<sub>2</sub>-UO<sub>2</sub>)
  - preparation, 7
- Uranium dioxide mixtures (PuO<sub>2</sub>-UO<sub>2</sub>) (irradiated)
  - behavior, 141
  - compatibility with Na, 29
- Uranium dioxide mixtures (Sm<sub>2</sub>O<sub>3</sub>-UO<sub>2</sub>)
  - impaction, 127-28
- Uranium dioxide mixtures (ThO<sub>2</sub>-UO<sub>2</sub>)
  - impaction, 127-28
- Uranium dioxide particles
  - fabrication, 76
  - Ni coatings, application of, 10
- Uranium dioxide particles (PyC coated) (irradiated)
  - stability, 10-11
- Uranium dioxide pastes (Na-UO<sub>2</sub>)
  - corrosive effects, 101-2
- Uranium dioxide pellets
  - N release from sintered, 11
- Uranium dioxide plates
  - production, 76
- Uranium dioxide powder
  - production, 209
  - sintering, 61, 76, 144
- Uranium dioxide single crystals (irradiated)
  - <sup>85</sup>Kr diffusion in, 16
- Uranium dioxide solid solutions (PuO<sub>2</sub>-UO<sub>2</sub>)
  - oxidation, 7
- Uranium dioxide-system particles (ThO<sub>2</sub>-UO<sub>2</sub>)(PyC coated)(irradiated)
  - stability, 10-11
- Uranium dioxide-system pellets (PuO<sub>2</sub>-UO<sub>2</sub>)
  - preparation by sintering, 74
- Uranium dioxide-system rods (CaO-UO<sub>2</sub>-ZrO<sub>2</sub>)
  - fabrication, 12
- Uranium dioxide-system rods (UO<sub>2</sub>-ZrO<sub>2</sub>)
  - fabrication, 12
- Uranium dioxide systems (BeO-PuO<sub>2</sub>-UO<sub>2</sub>)
  - phase studies, 140
- Uranium dioxide systems (CeO<sub>2</sub>-UO<sub>2</sub>)
  - diffusion in, 180
- Uranium dioxide systems (O<sub>2</sub>-ThO<sub>2</sub>-UO<sub>2</sub>)
  - thermal conductivity, 143
- Uranium dioxide systems (PuO<sub>2</sub>-UO<sub>2</sub>)
  - phase studies, 73
- Uranium dioxide systems (PuO<sub>2</sub>-UO<sub>2</sub>) (irradiated)
  - fission-product behavior, 214
- Uranium dioxide systems (PuO<sub>2</sub>-UO<sub>2</sub>) (stainless-steel (316) clad)(irradiated)
  - properties, 7
- Uranium dioxide systems (ThO<sub>2</sub>-UO<sub>2</sub>)
  - compatibility with Th, 74
  - thermal conductivity, 11-12, 143
- Uranium dioxide systems (U-UO<sub>2</sub>)
  - phase studies, 136
- Uranium dioxide systems (UO<sub>2</sub>-ZrO<sub>2</sub>)
  - thermal conductivity, 143
- Uranium dispersions (U-UC)(Zircaloy-2 clad)(irradiated)
  - stability, 2-3
- Uranium fuel materials (irradiated)
  - properties, 2, 138, 205
- Uranium hydride
  - reaction with water, 79
- Uranium ingots
  - production, 257
- Uranium intermetallic compounds
  - preparation and testing, 121
- Uranium intermetallic compounds (UAl<sub>2</sub>) (irradiated)
  - swelling, 214
- Uranium intermetallic compounds (UAl<sub>3</sub>) (irradiated)
  - swelling, 214
- Uranium intermetallic compounds (U<sub>2</sub>Ti)
  - interdiffusion with stainless steel (304), 205
- Uranium isotopes (<sup>235</sup>U)
  - charged-particle emission, 213
- Uranium monarsenide
  - crystal structure, melting point, and solubility in UP and US, 77
- Uranium monocarbide
  - C activity in, 77
  - compatibility with cladding materials, 77
  - elastic properties, 115
  - elongation, 145
  - energy of formation, 12-13
  - hydrolysis, O-addition effects on, 77
  - impaction, 127-28
  - oxidation, 12
  - powder metallurgy, 61
  - preparation, 77-78, 211
  - PyC coatings, application of, 10
  - reaction with Au, 209
  - reaction with Ir, 209
  - reaction with N, 77, 207
  - reaction with Re, 145
  - reaction with Re-W alloy, 145
  - reaction with Rh, 209
  - reaction with SAP, 209
  - reaction with W, 145
  - zone melting, 59
- Uranium monocarbide (irradiated)
  - gas-bubble dragging, 213
  - microstructure, 145-46
  - performance, 77, 210
  - porosity, 149
  - rare-gas diffusion in, 213
  - swelling, 13
- Uranium monocarbide (SAP clad)(irradiated)
  - performance, 77
- Uranium monocarbide (stainless-steel clad)(irradiated)
  - performance, 77, 210
- Uranium monocarbide coatings
  - vapor plating of, 63
- Uranium monocarbide crystals
  - preparation, 121
- Uranium monocarbide dispersions (U-UC) (Zircaloy-2 clad)(irradiated)
  - stability, 2-3
- Uranium monocarbide mixtures (PuC-UC)
  - compatibility with cladding materials, 73
- Uranium monocarbide particles (carbide coated)
  - use at high temperatures, 142
- Uranium monocarbide pastes (Na-UC)
  - corrosive effects, 101-2
- Uranium monocarbide powder
  - sintering, 211
- Uranium monocarbide single crystals (irradiated)
  - <sup>85</sup>Kr diffusion in, 16
- Uranium monocarbide solid solutions (UC-UN)
  - phase relations, U oxide effects on, 77
- Uranium monocarbide-system particles (UC-ZrC)(PyC coated)
  - use at high temperatures, 142
- Uranium monocarbide-system powder (UC-UN)
  - sintering, 211
- Uranium monocarbide systems (PuC-PuN-UC-UN)
  - phase studies, 144-45
- Uranium monocarbide systems (PuC-UC)
  - compatibility with cladding materials, 77
  - phase studies, 144-45
- Uranium monocarbide systems (PuC-UC) (clad)(irradiated)
  - stability, 13, 210
- Uranium monocarbide systems (PuC-UC) (irradiated)
  - behavior, 210
- Uranium monocarbide systems (PuN-UC)
  - phase studies, 144-45
- Uranium monocarbide systems (ThC-UC)
  - compatibility with Th, 74
- Uranium monocarbide systems (UC-UN)
  - phase studies, 144-45
- Uranium monocarbide systems (UC-ZrC)
  - preparation, 211
  - production, 13



- reactions with Mo, Re, Re-W alloy,  
 and W, 145  
 Uranium monocarbide systems (UC-ZrC)  
 (refractory-material clad)  
 diffusion, 54  
 Uranium monocarbide systems (UC-ZrC)  
 (W clad)  
 electron emission, 145  
 Uranium mononitride  
 compatibility with metals and alloys, 12  
 evaporation, 210  
 impaction, 127-28  
 Mo solubility in, 77  
 O solubility in, 145  
 preparation, 13  
 production, 211  
 reaction with Au, 209  
 sublimation, 12  
 Uranium mononitride (irradiated)  
 fission-gas-bubble sizes, 210  
 Uranium mononitride dispersions  
 development, 146-47  
 Uranium mononitride particles  
 production of spherical, 13  
 Uranium mononitride pastes (Na-UN)  
 corrosive effects, 101-2  
 Uranium mononitride powder  
 sintering, 146, 211  
 synthesis, 146  
 Uranium mononitride single crystals  
 (irradiated)  
 fission-gas-bubble sizes, 210-11  
 Uranium mononitride solid solutions (UC-UN)  
 phase relations, U oxide effects on, 77  
 Uranium mononitride-system powder  
 (UC-UN)  
 sintering, 211  
 Uranium mononitride systems (PuC-PuN-UC-UN)  
 phase studies, 144-45  
 Uranium mononitride systems (PuN-UN)  
 phase studies, 144-45  
 Uranium mononitride systems (PuN-UN)  
 (irradiated)  
 performance, 77  
 Uranium mononitride systems (UC-UN)  
 phase studies, 144-45  
 Uranium monophosphide  
 compatibility with Th, 74  
 modulus of elasticity, 13  
 properties, 77  
 synthesis by impaction, 128  
 UAs solubility in, 77  
 vapor pressure, 77  
 Uranium monosulfide  
 compatibility with Th, 74  
 UAs solubility in, 77  
 vapor pressure, 77  
 Uranium monoxide systems (PuO-UO)  
 properties and synthesis, 7  
 Uranium nitride-mixture powders  
 sintering, 211  
 Uranium nitride pellets  
 preparation from powder, 78  
 Uranium nitride systems (Pu nitride-U nitride)  
 thermal conductivity and thermal  
 diffusivity, 206-7  
 Uranium octoxide (irradiated)  
 swelling, 214  
 Uranium octoxide dispersions (Al-U<sub>3</sub>O<sub>8</sub>)  
 development, 141  
 Uranium octoxide dispersions (Al-U<sub>3</sub>O<sub>8</sub>)  
 (Al clad) (irradiated)  
 stability, 9  
 Uranium octoxide dispersions (Al-U<sub>3</sub>O<sub>8</sub>)  
 (irradiated)  
 swelling, porosity effects on, 74  
 Uranium oxide  
 melting point, 11  
 Uranium oxide (irradiated)  
 thermal conductivity, 149  
 Uranium oxide pellets  
 preparation from powder, 78  
 Uranium oxide systems (Pu oxide-U oxide)  
 thermal conductivity and thermal  
 diffusivity, 206  
 Uranium powder  
 sintering, 203  
 Uranium sesquicarbide  
 energy of formation, 12-13  
 thermal expansion, 13  
 Uranium silicide  
 preparation, 121  
 Uranium silicide (U<sub>3</sub>Si<sub>2</sub>) (irradiated)  
 swelling, 214  
 Uranium silicide pellets  
 preparation from powder, 78  
 Uranium single crystals  
 preparation, 1  
 Uranium sulfide  
 synthesis by impaction, 128  
 Uranium systems (C-Mo-U)  
 phase relations, PuC-addition effects  
 on, 77  
 Uranium systems (C-N-O-U)  
 thermodynamic properties, 145  
 Uranium systems (C-O-U)  
 phase studies, 12  
 Uranium systems (C-Pu-U)  
 phase studies, 207-8  
 Uranium systems (C-Si-U)  
 phase studies, 144  
 Uranium systems (C-Ti-U)  
 phase relations, PuC-addition effects  
 on, 77  
 Uranium systems (C-U)  
 ignition, 15  
 Uranium systems (C-U-Zr)  
 phase relations, PuC-addition effects  
 on, 77  
 Uranium systems (H-U)  
 ignition, 15  
 Uranium systems (H-U-Zr)  
 properties, 22  
 Uranium systems (Fe-Si-U)  
 phase studies, 69  
 Uranium systems (irradiated)  
 swelling, 136-37  
 Uranium systems (O-Pu-U)  
 compatibility with Na, 29  
 Uranium systems (Si-U)  
 ignition, 15  
 Uranium systems (U-UAl<sub>3</sub>-UF<sub>6</sub>-UMn<sub>2</sub>)  
 phase studies, 71  
 Uranium systems (U-UO<sub>2</sub>)  
 phase studies, 136  
 Uranium tetraboride  
 compatibility with Th, 74  
 Uranium tetrafluoride systems (BeF<sub>2</sub>-LiF-  
 ThF<sub>4</sub>-UF<sub>6</sub>-ZrF<sub>4</sub>) (molten)  
 corrosive effects, 103  
 Uranium tetrafluoride systems (LiF-  
 UF<sub>6</sub>) (molten)  
 corrosive effects, 103-4  
 Uranium trialuminide dispersions (Al-UAl<sub>3</sub>)  
 swelling, 141  
 Uranium trichloride eutectics (KCl-UCl<sub>3</sub>)  
 (molten)  
 corrosive effects, 31-32  
 Uranium tubing (clad)  
 fabrication, 126  
 Valoy  
 corrosion, 93  
 oxidation, 93, 231  
 Vanadium  
 corrosion, 100, 163, 228  
 diffusion in Ti-V alloys, 179  
 metallurgy, 243-44  
 purification, 194, 243  
 yield point, Ti effects on, 179  
 zone melting, 194  
 Vanadium-alloy sheet (Cr-Ti-V)  
 tensile properties, 243-44  
 Vanadium-alloy sheet (Ti-V)  
 tensile properties, 243-44  
 Vanadium-alloy tubing (Cr-Ti-V)  
 burst testing, 181-82  
 fabrication, 196, 257  
 tensile properties, 244  
 Vanadium-alloy tubing (Ti-V)  
 drawing, 122-23  
 Vanadium alloys  
 corrosion, 99, 228, 230  
 development, 43  
 ductile-brittle transition, 113  
 mechanical-property assessment, 194  
 weldability assessment, 194  
 Vanadium alloys (Al-Ti-V)  
 drawing, vibration effects on, 124  
 reaction with H, 220-21  
 strength, 43  
 Vanadium alloys (Al-V)  
 corrosion, 99  
 sintering, 230  
 Vanadium alloys (Cr-Ti-V)  
 compatibility with PuC-UC mixtures, 73  
 corrosion, 163, 228  
 tensile properties, 114  
 Vanadium alloys (Cr-Ti-V) (irradiated)  
 tensile properties, 234  
 Vanadium alloys (Cr-V)  
 corrosion, 99, 163, 228  
 Vanadium alloys (Fe-V)  
 tensile properties, 248  
 Vanadium alloys (irradiated)  
 tensile properties, 234  
 Vanadium alloys (Mo-Ta-V)  
 phase studies, 243  
 Vanadium alloys (Mo-V)  
 corrosion, 99  
 Vanadium alloys (Nb-Ta-V)  
 mechanical properties, 242  
 phase studies, 243  
 physical properties, 242  
 strength, 43  
 Vanadium alloys (Nb-Ti-V)  
 strength, 43  
 Vanadium alloys (Nb-V)  
 corrosion, 164  
 ductile-brittle transition, 42, 113  
 elastic properties, 238  
 mechanical properties, mechanical-  
 twinning effects on, 239  
 strain hardening, 184  
 strength, 43  
 yield point, Ti effects on, 179  
 Vanadium alloys (Nb-V) (irradiated)  
 twinning, 172  
 Vanadium alloys (Ta-V)  
 solid-state transformations, 243  
 Vanadium alloys (Ti-V)  
 corrosion, 99, 163-64, 228  
 mechanical properties, Na-exposure  
 effects on, 99  
 production, 122  
 Ti diffusion in, 179  
 V diffusion in, 179  
 Vanadium alloys (Ti-V) (irradiated)  
 tensile properties, 41, 234  
 Vanadium alloys (U-V)  
 grain refinement, 203-4  
 ignition, 15

mechanical properties, 203-4  
 Vanadium alloys (V-Zr)  
   corrosion, 99  
 Vanadium braze alloys (Ta-Ti-V)  
   patent for, 199  
 Vanadium hydride  
   production, 89  
 Vanadium monocarbide  
   reaction with V oxide, 251-52  
 Vanadium monocarbide systems (C-VC)  
   eutectic temperature, 186  
 Vanadium oxide  
   reaction with VC, 251-52  
 Vanadium solid solutions (Nb-Ti-V)  
   oxidation, 95  
 Vanadium systems (Cr-Fe-Si-Ti-V)  
   fused-slurry coatings developed from, 161  
 Vanadium systems (Ti hydride-V)  
   production, 89  
 Vessels  
   (see Pressure vessels)

## W

Waspaloy  
   brazing, 263  
   mechanical properties, 47  
 WC-1 Zr  
   mechanical and physical properties, 240  
 WC-103  
   mechanical and physical properties, 240  
 WC-111  
   mechanical and physical properties, 242  
 WC-129Y  
   mechanical and physical properties, 240  
 WC-222  
   mechanical and physical properties, 242  
 Welding, 199-200, 262  
 Wires  
   sintering, 259  
 Working  
   cast materials, 122-24  
   explosive, 127-28  
   hot and cold, 60-61  
 Wrought materials  
   fabrication, 257-59

## X

X-34  
   corrosion, 101  
 X-280 weld joints  
   aging effects, 129  
 X7005  
   brazing, 262  
 X8001  
   corrosion, 94  
 X radiography, 264

## Y

Ytterbium  
   oxidation, 27  
 Yttrium  
   corrosion, 166  
   fabrication, 123  
   mechanical behavior, 123  
 Yttrium-alloy hydrides  
   cladding with Cr, 156-57  
 Yttrium alloys (Al-Cr-Fe-Y)  
   corrosion, 226, 248  
   metallurgy, 46-47  
   oxidation, 26-27, 46-47  
   production of corrosion-resistant, 260  
   tensile properties, 247-48

Yttrium alloys (Al-Cr-Fe-Y) (irradiated)  
   embrittlement, 170  
   mechanical properties, 37  
 Yttrium alloys (Cr-W-Y)  
   tensile properties, 237  
 Yttrium alloys (Cr-Y)  
   carbide-dispersion effects, 237  
 Yttrium alloys (Co-Y)  
   phase studies, 47  
 Yttrium alloys (Gd-Pu-Y)  
   phase studies, 139  
 Yttrium alloys (Mg-Y)  
   oxidation and strength, 53  
 Yttrium alloys (Mo-Y)  
   oxidation, 96  
 Yttrium alloys (Nd-Pu-Y)  
   phase studies, 139  
 Yttrium disilicide  
   oxidation, 188  
 Yttrium hydride  
   cladding with Cr, 156-57  
 Yttrium hydride (fueled) (Mo-Re-alloy clad)  
   (irradiated)  
   performance, 89  
 Yttrium oxide  
   O self-diffusion in, 114-15  
   preparation and sintering, 189  
 Yttrium rods  
   fabrication, 123  
 Yttrium sesquioxide systems ( $\text{Cr}_2\text{O}_3\text{-Y}_2\text{O}_3$ )  
   phase studies, 252  
 Yttrium sesquioxide dispersions ( $\text{Y}_2\text{O}_3\text{-Zr}$ )  
   fabrication and mechanical properties  
     of sintered, 260  
 Yttrium single crystals  
   deformation, 123  
 Yttrium systems (C-Cr-Hf-Mo-Y-Zr)  
   tensile properties, 237  
 Yttrium systems (C-Cr-Hf-Y-Zr)  
   tensile properties, 237  
 Yttrium systems (C-Mo-W-Y)  
   corrosion, 161  
 Yttrium tubing  
   fabrication, 123

## Z

Zinc oxide  
   self-diffusion in, 54  
 Zinc systems (Al-Ge-Si-Zn)  
   use for brazing, 262  
 Zircaloy  
   brazing, 263  
   crud deposition on, 159  
   impact properties, 48, 175  
   plating on, 63-64  
   pressure bonding, 62  
   reaction with steam, 32-33  
 Zircaloy (irradiated)  
   corrosion, 93  
 Zircaloy structurals  
   sizing, 195-96  
 Zircaloy tubing  
   explosive sizing, 261  
 Zircaloy-2  
   compatibility with Bi-Pb alloy, 30  
   compatibility with UN, 12  
   contamination by F, 26  
   corrosion, 26, 93, 158  
   hot-press bonding to 1S Al and stainless  
     steel (416), 197  
   hydride orientation, 175  
   hydriding, 31, 93, 230  
   H terminal solubility in, 47-48  
   microindentation properties of hydrided,  
     156  
   oxidation, 93, 231  
   oxide-film measurement, 26  
   oxide films on, potential on, 225  
   strength, 108  
   thermal expansion, H effects on, 48  
   toughness, H effects on, 108-9  
   Zr hydride-platelet orientation, 245  
 Zircaloy-2 (hydrided) (irradiated)  
   impact properties, 39  
 Zircaloy-2 (irradiated)  
   corrosion, 158  
   creep properties, 39, 168  
   mechanical properties, 232  
   rupture, 39  
   tensile properties, 37, 39-40  
 Zircaloy-2 cladding  
   hydride embrittlement, 175  
 Zircaloy-2 cladding (irradiated)  
   failure, 232  
 Zircaloy-2 joints (Inconel 600-Zircaloy-2)  
   (irradiated)  
   tensile properties, 39-40  
 Zircaloy-2 single crystals  
   growth, 196  
   production, 175  
 Zircaloy-2 tubing  
   drawing, 122  
   mechanical properties, preferred-  
     orientation effects on, 107-8  
   texture, fabrication effects on, 108  
   Zr hydride-platelet orientation, fabrica-  
     tion effects on, 108  
 Zircaloy-2 tubing (irradiated)  
   burst strength, 106, 167-68  
 Zircaloy-4  
   corrosion, 158  
   hydriding, 31, 93, 230  
   H solubility in, 108  
   oxidation in steam, 231  
   thermal conductivity, 107  
   thermal expansion, H effects on, 48  
 Zircaloy-4 (irradiated)  
   mechanical properties, 167  
 Zircaloy-4 (molten)  
   reaction with water, 166  
 Zircaloy-4 sheet  
   microstructure, 245  
   tensile properties, 185  
 Zircaloy-4 tubing  
   cladding inside with Al and SAP, 195  
   mechanical properties, 185  
   properties, 175  
 Zirconium  
   anodized films on, electrical conductivity  
     of, 225  
   anodizing, 158-59  
   compatibility with metals, 180  
   compatibility with UN, 12  
   corrosion, 95  
   creep properties, vacuum effects on,  
     184-85, 244-45  
   deformation of annealed, 107  
   ductility, H effects on, 48  
   embrittlement by Zr hydride platelets, 108  
   evaluation, 175  
   fracture of, containing Zr hydride  
     precipitates, 49  
   hydride platelets in, 48-49  
   hydriding, 29, 88  
   H solubility in, 108  
   H supersaturation, Nb-addition effects  
     on, 109  
   mechanical properties, O effects on, 245  
   mechanical properties, prestraining  
     effects on, 106-7  
   melting, electron-beam, 60  
   metallurgy, 244-45  
   oxidation, 93, 158, 231  
   oxide films on, potential on, 225  
   properties, 47  
   reaction with steam, 32, 166-67, 231

- structure, tension effects on, 107  
 surface morphology, 244  
 tensile properties, 48  
 thermal expansion, 107  
 U diffusion in, 135  
 yield point, 107  
 zone refining, O and Fe redistribution during, 122
- Zirconium (irradiated)**  
 corrosion, 158  
 creep properties, 168
- Zirconium (molten)**  
 reaction with water, 166  
 Zirconium-alloy sheets (Nb-Zr)  
 explosive bonding, 64
- Zirconium-alloy joints (steel-Zr alloy)**  
 hot pressing, 260
- Zirconium-alloy tubing**  
 cladding inside with Al and SAP, 195
- Zirconium-alloy tubing (Nb-Zr)**  
 evaluation, 245, 248  
 fabrication, 196, 258
- Zirconium alloys**  
 (see also Valoy, Zircaloy, ZR55, and ZR57)  
 corrosion, 26, 31, 95, 225, 228-30  
 evaluation, 175  
 hydriding, 47-48  
 mechanical properties, 107  
 metallurgy, 244-45  
 oxidation in steam, 231  
 oxides on, wear of, 225  
 reactions with H, 23  
 use for brazing, 263  
 use for cladding, 175  
 Zr hydride-platelet formation, 47
- Zirconium alloys (Al-Mo-Sn-Zr)**  
 corrosion, 229
- Zirconium alloys (Al-Zr)**  
 corrosion, 229
- Zirconium alloys (Cr-Fe-Nb-Sn-Zr)**  
 corrosion, 225
- Zirconium alloys (Cr-Fe-Zr)**  
 preparation, 122
- Zirconium alloys (Cr-Zr)**  
 use for brazing, 263
- Zirconium alloys (Cu-Fe-Zr)**  
 hydriding, 230
- Zirconium alloys (Cu-Mo-Zr)**  
 corrosion, heat-treatment effects on, 93
- Zirconium alloys (Cu-Nb-Zr)(irradiated)**  
 tensile properties, 168
- Zirconium alloys (Cu-Zr)**  
 corrosion, 228-29  
 development, 245  
 use for brazing, 263
- Zirconium alloys (Hf-Ta-Zr)**  
 oxidation, 222
- Zirconium alloys (Fe-Ni-Nb-Sn-Zr)**  
 hydriding, 230
- Zirconium alloys (Fe-Zr)**  
 use for brazing, 263
- Zirconium alloys (irradiated)**  
 behavior, 167  
 corrosion, 225  
 hydriding, 225  
 properties, 232-33
- Zirconium alloys (Mn-Zr)**  
 use for brazing, 263
- Zirconium alloys (Mo-Nb-Ti-U-Zr)**  
 tensile properties, 137
- Zirconium alloys (Mo-Nb-Zr)**  
 phase studies, 111
- Zirconium alloys (Mo-Ti-Zr)**  
 corrosion, 161  
 phase studies, 111
- Zirconium alloys (Mo-Zr)**  
 aging, 111  
 corrosion, 161
- recrystallization, fabrication effects on, 258-59  
 recrystallization temperature, 241  
 rupture strength, 241
- Zirconium alloys (Nb-Re-Zr)**  
 oxidation and scale formation, 95
- Zirconium alloys (Nb-Sn-Zr)**  
 corrosion, 93, 225
- Zirconium alloys (Nb-Ti-Zr)**  
 corrosion, 164
- Zirconium alloys (Nb-W-Zr)**  
 Be-induced second phase, annealing effects on, 111
- Zirconium alloys (Nb-U-Zr)**  
 phase transformation, 71  
 reaction with water, 15
- Zirconium alloys (Nb-U-Zr)(Zircaloy-2 clad)(irradiated)**  
 performance, 71
- Zirconium alloys (Nb-Zr)**  
 beta-phase decomposition, 51  
 carbide-layer growth on, 54  
 C diffusion in, 54  
 cavitation, 30  
 coatings for, 162  
 compatibility with K, 29-30  
 corrosion, 164-66  
 creep rate, aging effects on, 176  
 ductility, 48  
 hydriding, 31, 93, 230  
 H supersaturation, 109  
 mechanical properties, 108-9  
 mechanical properties, O effects on, 111, 175-76  
 mechanical properties, Na-exposure effects on, 99  
 oxidation, 95  
 oxide films on, potential on, 225  
 phase transformation, 175  
 scale formation, 95  
 strength, Be-addition effects on, 111  
 thermal expansion, H effects on, 48  
 Zr hydride-platelet orientation, 109
- Zirconium alloys (Nb-Zr)(hydrided)**  
 (irradiated)  
 impact properties, 39
- Zirconium alloys (Nb-Zr)(irradiated)**  
 creep properties, 39, 168  
 tensile properties of heat-treated, 39
- Zirconium alloys (Pu-U-Zr)**  
 phase studies, 205  
 preparation, 205  
 properties, 138  
 thermal conductivity, 5
- Zirconium alloys (Pu-U-Zr)(Ti-V-alloy clad)(irradiated)**  
 behavior, 138-39
- Zirconium alloys (Th-U-Zr)(Zircaloy-2 clad)(irradiated)**  
 behavior, 141, 208
- Zirconium alloys (Th-Zr)**  
 hot hardness, 8
- Zirconium alloys (Ti-W-Zr)**  
 phase studies, 243
- Zirconium alloys (U-Zr)**  
 ignition, 15  
 structure, 4
- Zirconium alloys (V-Zr)**  
 corrosion, 99
- Zirconium boride**  
 production, 188
- Zirconium carbide**  
 production, 115-16  
 properties, 115-16  
 reactions in liquid media, 116-17  
 stoichiometry, 186
- Zirconium carbide systems (U carbide-Zr carbide)**  
 cladding with W by vapor deposition, 63
- Zirconium composites (graphite-Zr)**  
 hot pressing, 20
- Zirconium composites (Ta-W-Zr)**  
 strength, 183
- Zirconium diboride**  
 corrosion, 31  
 fabrication, 188  
 grain growth during sintering, 25  
 hot hardness, 188  
 oxidation of zone-melted, 117  
 reactions in liquid media, 116-17  
 thermal expansion, 223
- Zirconium diboride dispersions (stainless steel-UO<sub>2</sub>-ZrB<sub>2</sub>)(stainless-steel(347) clad)(irradiated)**  
 damage, 208-9
- Zirconium diboride-system powders (MoSi<sub>2</sub>-ZrB<sub>2</sub>)**  
 sintering, 188
- Zirconium diboride systems (Cr-TaB<sub>2</sub>-ZrB<sub>2</sub>)**  
 fabrication and properties, 252
- Zirconium dioxide**  
 bonding with H<sub>3</sub>PO<sub>4</sub>F, 115  
 extrusion, 123, 126  
 reaction with ZrC, 251-52
- Zirconium dioxide composites (W-ZrO<sub>2</sub>)**  
 strength, 183
- Zirconium dioxide dispersions (Al-UO<sub>2</sub>-ZrO<sub>2</sub>)(Al clad)(irradiated)**  
 stability, 9
- Zirconium dioxide films**  
 crack and pore measurement and potential on, 225
- Zirconium dioxide films (irradiated)**  
 embrittlement, 232
- Zirconium dioxide microspheres**  
 preparation, 12
- Zirconium dioxide-system rods (CaO-UO<sub>2</sub>-ZrO<sub>2</sub>)**  
 fabrication, 12
- Zirconium dioxide-system rods (UO<sub>2</sub>-ZrO<sub>2</sub>)**  
 fabrication, 12
- Zirconium dioxide systems (CaO-UO<sub>2</sub>-ZrO<sub>2</sub>)**  
 thermal conductivity, 143
- Zirconium dioxide systems (UO<sub>2</sub>-ZrO<sub>2</sub>)**  
 thermal conductivity, 143
- Zirconium dispersions (Y<sub>2</sub>O<sub>3</sub>-Zr)**  
 fabrication and mechanical properties of sintered, 260
- Zirconium hydride**  
 compatibility with LiH, 221  
 H absorption in porous beds of, 156  
 tensile properties, 48
- Zirconium hydride (Al-Cr-Fe-alloy clad)**  
 testing, 88
- Zirconium hydride platelets**  
 in Zr, 48-49  
 orientation in Zircaloy-2, 245
- Zirconium intermetallic compounds**  
 reactions with H, 23
- Zirconium monocarbide**  
 C diffusion in, 179  
 elastic properties, 115, 186  
 properties, 249-51  
 reactions in liquid media, 116  
 reaction with ZrO<sub>2</sub>, 251-52
- Zirconium monocarbide (irradiated)**  
 behavior, 187-88
- Zirconium monocarbide castings**  
 hot hardness, 59, 250  
 oxidation, 59, 250-51
- Zirconium monocarbide coatings**  
 deposition on fuel particles, 142
- Zirconium monocarbide plates**  
 fabrication, 186
- Zirconium monocarbide-system castings (C-ZrC)**  
 hardness and stress-relieving, 186

- Zirconium monocarbide-system particles (UC-ZrC)(PyC coated)
  - use at high temperatures, 142
- Zirconium monocarbide systems (C-ZrC)
  - eutectic temperature, 186
  - melting and casting, 257
  - properties, 257
- Zirconium monocarbide systems (HfC-ZrC)
  - fusion point, 250-51
- Zirconium monocarbide systems (NbC-ZrC)
  - Hall constant and resistivity, 250
- Zirconium monocarbide systems (TaC-ZrC)
  - fusion point, 250-51
- Zirconium monocarbide systems (UC-ZrC)
  - preparation, 211
  - production, 13
  - reactions with Mo, Re, Re-W alloy, and W, 145
- Zirconium monocarbide systems (UC-ZrC) (refractory-material clad)
  - diffusion, 54
- Zirconium monocarbide systems (UC-ZrC) (W clad)
  - electron emission, 145
- Zirconium nitride
  - reactions in liquid media, 116-17
- Zirconium single crystals
  - oxidation, 26
- Zirconium systems (C-Cr-Hf-Mo-Y-Zr)
  - tensile properties, 237
- Zirconium systems (C-Cr-Hf-Y-Zr)
  - tensile properties, 237
- Zirconium systems (C-Nb-Zr)
  - phase studies, 51
- Zirconium systems (C-W-Zr)
  - fabrication and preparation, 52
- Zirconium systems (C-U-Zr)
  - phase relations, PuC-addition effects on, 77
- Zirconium systems (C-Zr)
  - production and properties, 115-16
- Zirconium systems (H-Nb-Zr)
  - phase studies, 22-23
- Zirconium systems (H-N-Zr)
  - phase studies, 89
- Zirconium systems (H-U-Zr)
  - properties, 22
- Zirconium systems (Si-Zr)
  - use for brazing, 263
- Zirconium tetrafluoride systems (BeF<sub>2</sub>-LiF-ThF<sub>4</sub>-UF<sub>4</sub>-ZrF<sub>4</sub>)(molten)
  - corrosive effects, 103
- Zirconium tubing
  - drawing, 122
- Zone refiner
  - characteristics of electron-beam, 194
- ZR55
  - fatigue properties, 114
- ZR57
  - fatigue properties, 114

## LEGAL NOTICE

This journal was prepared under the sponsorship of the U. S. Atomic Energy Commission. Neither the United States, nor the Commission, nor any person acting on behalf of the Commission:

A. Makes any warranty or representation, expressed or implied, with respect to the accuracy, completeness, or usefulness of the information contained in this journal, or that the use of any information, apparatus, method, or process disclosed in this journal may not infringe privately owned rights; or

B. Assumes any liabilities with respect to the use of, or for damages resulting from the use of any information, apparatus, method, or process disclosed in this journal.

As used in the above, "person acting on behalf of the Commission" includes any employee or contractor of the Commission, or employee of such contractor, to the extent that such employee or contractor of the Commission, or employee of such contractor prepares, disseminates, or provides access to, any information pursuant to his employment or contract with the Commission, or his employment with such contractor.

